

# Government of Pakistan PAKISTAN ORDNANCE FACTORIES TENDER ENOUIRY

Го	M/s	TENDER ENQUIRY
Dear	Sirs,	
	Refe	cence: TENDER ENQUIRY NO. 0029/LP/DS/54 DATED 28-SEP-24
	the	You are requested to submit quotations for the item(s) noted in the Schedule to Tender. Please note the following instructions for filling the tender:-
1. ST	JBMISS:	ON OF TENDER
1.1	Tende Hall www.e	rs will be opened at 11:30 hours on 02-DEC-24 at Bid Centre adjacent to Rabita POf Wah Cantt. Quotation must be submitted electronically on bidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 es of opening time. The tender received late will not be entertained. You may so the opening of the tender if you so desire. If a representative is deputed, he
		Tender Enquiry No: 0029/LP/DS/54
		Tender to be opened on: 02-DEC-24 Address as follows:-
		(www.ebidding.pof.gov.pk) BID CENTER
		ADJACENT TO RECEPTION POFS, WAH CANTT.
2. <u>G</u> E	ENERAL	INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS
2.1	For I	aterials, the prices should be filled in column 5 and delivery date in column 7 of
		schedule to this Tender Enquiry. As per PPRA Rule 36(b), Single Stage two
		lope method will be utilized for "Open competitive bidding." Moreover, technical
		mmercial evaluation of Bids will be carried out strictly as per PPRA rules and act(s) will be awarded to the most advantageous bidder(s).

2.2 For Plant and Machinery, you are required to quote in two parts:-Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc. -2- **POF 1262-A** 

Part II "Commercial Offer": It should indicate the commercial terms e.g.price,
terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-
  - F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **WAH CANTT**In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting refrences to Registration No. in cases of Sales Tax and relevent authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt:, that he has cleared all Proffessional Tax payable by him" offers recieved without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

# 3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

-3- POF 1262-A

## 4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: **Director-Admin-POFs, Wah Cantt.** The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

# 4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

# 5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

# DIRECTOR SERVICES

- 5.2 Bid security instrument in original must be provided on the day/date of tender opeining in the Bid Center as under:
  - a. Registered/indexed firms including foreign firms 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
  - b. Registered/un-indexed firms including foreign firms 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
  - c. Unregistered Firms including foreign firms 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
  - d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
  - e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
  - f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
  - g. Quotation accompanied with less bid money will be accepted on provisional basis for 10 x days after opening of bids. However the firms are bound to provide/furnish the balance bid money within 10 x days after opening of bid otherwise such quotations will be ignored or rejected
  - h. Offers received without Bid Security will not be entertained.
  - i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

# 6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

# 6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

POF 1262

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

-4-

# 6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumantances of the case.Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

# 6.5 **PAYMENT**

Payment will be made by the CMA(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

# 7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc.if any, enclosed herewith - even if you are unable to quote.

<u>WARNING</u> In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to removed from the approved list.

Yours faithfully

YASMEEN ZAFAR
MANAGER PURCHASE SERVICES

for PAKISTAN ORDNANCE FACTORIES

# PAKISTAN ORDNANCE FACTORIES

# SCHEDULE TO TENDER NO. 0029/LP/DS/54 28-SEP-24

# (1) $\underline{\text{FOR MATERIALS}}$ PROCUREMENT OF SPARES FOR CONTROL ROOMS OF TURBINE AT POWER HOUSE (21 ITEMS)

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
1	THERMAL OVERLOAD RELAY, 8-15A, THREE POLE AUTO MANUAL RESET 01NO+01NC, 10 AMP AUX CONTACT MAKE: SIEMENS/ABB/ SCHNEIDER OR EOUIVALENT	NO	6			
2	THERMAL OVERLOAD RELAY, 5-10A, THREE POLE AUTO MANUAL RESET ,01NO+01NC, 10 AMP AUX CONTACT MAKE SIEMENS /ABB/ SCHNEIDER OR EQUIVALENT	NO	6			
3	MOULDED CASE CIRCUIT BREAKER (MCCB) TRIPPLE POLE 500 AMP, 400 VAC, 50 HZ TRIPPED PUSH SHORT CIRCUIT/OVERLOAD RELEASE MAKE: SIEMENS /SCHNEIDER/ABB OR EQUIVALENT	NO	4			
4	MOULDED CASE CIRCUIT BREAKER (MCCB) 3 POLE UI = 690 , UE = 440 , 100A MAKE : SCHNEIDER/ABB OR EQUIVALENT	NO	8			
5	MINIATURE CIRCUIT BREAKER (MCB) SINGLE POLE UE = 230 , 4A , VOLTAGE 220-250 VAC 50 HZ BREAKING CAPACITY 10 KA MAKE : SCHNEIDER/ABB OR EQUIVALENT	NO	20			
6	AC MAGNETIC CONTACTOR TRIPPLE POLE RATING: AC 3=22KW AT 400VAC , 50HZ , OPERATING COIL VOLTAGE 220VAC , AUXILIARY CONTACT 2NO + 2NC TYPE: LCID 50A , MAKE: SIEMENS /ABB OR EOUIVALENT	NO	8			
7	AC MAGNETIC CONTACTOR TRIPPLE POLE RATING: AC 3=30KW AT 400VAC , 50HZ, OPERATING COIL VOLTAGE 220VAC, AUXILIARY CONTACT 2NO + 2NC TYPE: LCID 65A MAKE: SIEMENS /ABB OR EQUIVALENT	NO	8			
8	SOLID STATE OVER LOAD RELAY TRIPPLE POLE 400VAC, 50HZ, RANGE:6-25 AMP, 1NO+INC, AUX CONTACT, MANUAL/AUTO RESET:35MM DIN RAIL BASE, PHASE FAILURE/UNBALANCE PHASE PROTECTION  Make: Siemens/Telececanique/ABB or equivalent.	NO	6			
9	SIEMENS RELAYS TYPE 3RH 1122, IBF40 , 2NO + 2NC , 110VDC CONTROL RELAY MAKE: SIEMENS /SCHNEIDER OR EQUIVALENT	NO	12			
10	SOLID STATE OVER LOAD RELAY TRIPPLE POLE 400VAC, 50HZ, RANGE:50-200 AMP, MANUAL/AUTO RESET, 1NO+INC, AUX CONTACT 35MM DIN RAIL BASE, PHASE FAILURE/UNBALANCE PHASE PROTECTION  Make: Siemens/Schneider/ABB or equivalent.	NO	6			

# PAKISTAN ORDNANCE FACTORIES

# SCHEDULE TO TENDER NO. 0029/LP/DS/54

# 28-SEP-24

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
11	TINNED COPPER LUGS FOR 25 MM2 CONDUCTOR CONDUCTOR SIZE: STANDARD OR EQUIVALENT	NO	150			
12	TINNED COPPER LUGS FOR 10 MM2 CONDUCTOR CONDUCTOR SIZE: STANDARD OR EQUIVALENT	NO	150			
13	TINNED COPPER LUGS FOR 6 MM2 CONDUCTOR CONDUCTOR SIZE: STANDARD OR EQUIVALENT	NO	150			
14	OVER LOAD RELAY THREE PHASE 400 VOLTS WITH AUXILIARY CONTACTS RATED: 10A, SETTING RANGE:150A TO 200A, MAKE: FUJI/SIEMENS.OR EQUIVALENT	NO	6			
15	MULTI RANGE ON DELAY TIMER (SELECTABLE) OPERATING COIL VOLTAGE 220VAC, 50HZ, DOUBLE CONTACT (02 SET) 5AMP, TYPE:3RP1525.1A P 30, MAKE: SIEMENS CONDUCTOR SIZE: STANDARD OR EQUIVALENT	NO	8			
16	TIMER RELAY FOR STAR/DELTA STARTER OPERATING COIL VOLTAGE=220VAC, 50HZ, CONTACT RANGE=5AMP, TIME RANGE:1-60SEC, TYPE:=3RP 1574-1NP30 FOR POWER PLANT-I CONDUCTOR SIZE: STANDARD OR EQUIVALENT	NO	10			
17	CONTROL RELAY WITH 4NC + 4NO CONTACT CONTACT RATING 220V, 5AMP, OPERATING COIL VOLTAGE 220 VAC, 50HZ	NO	10			
18	BLOCKING COIL FOR POWER PLANT OPERATING VOLTAGE 110 VAC/DC VCB TYPE HVX 17-25-06E 210, ARTICLE NO AVXN00186-04 ,MAKE: SCHNEIDER OR EQUIVALENT	NO	6			
19	UVT COIL FOR POWER PLANT OPERATING VOLTAGE 110 VAC/DC VCB TYPE HVX 17-25-06E 210, ARTICLE NO AGSH34286-04 ,MAKE: SCHNEIDER OR EQUIVALENT	NO	6			
20	SHUNT TRIP COIL FOR POWER PLANT OPERATING VOLTAGE 110 VAC/DC VCB TYPE HVX 17-25-06E 210, ARTICLE NO AGSH34286-04, MAKE: SCHNEIDER OR EQUIVALENT	NO	6			
21	CLOSING COIL FOR POWER PLANT VCB TYPE HVX 17-25-06E 210, ARTICLE NO AGSH31482-01 ,MAKE: SCHNEIDER OR EQUIVALENT	NO	6			

Total Rs =	
+ GST =	
Total value Rs =	

# (3) Special Conditions

01 Indicate the Model, Name of the Manufacturer, Country of Origin and also provide the

<sup>(2)</sup> For Plant & Machinery: Specification:-

### PAKISTAN ORDNANCE FACTORIES

# SCHEDULE TO TENDER NO. 0029/LP/DS/54

# 28-SEP-24

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	

Technical Brochure of the Material/Products being offered.

- 02 Breakdown of rates be given showing price and sales tax separately otherwise rates will be consider inclusive of GST.
- Quotation may be submitted if you are registered with sales tax department. Only registered suppliers (with Sales Tax & Income Tax Dept), who are on Active Taxpayers List (ATL) of FBR are eligible to supply goods/services to Govt. Deptt. if any registered supplier is not in ATL, his payment would be stopped till he files his mandatory returns and appears on ATL of FBR. Sales Tax Registration number may also be indicated in your offer.
- O4 Govt. & Semi Govt. departments detailed in para 8 of CBR letter No.1/10-stb/98 dt.12-06-98 are not required to be registered since they are not involved in any taxable activity. So registered supplier shall pay sales tax at the standard rate i.e. 18%.
- O5 The supplier will provide the requisite CDR alongwith the complete Mailing Address, Telephone No, Fax No, E-Mail and branch code of the issuing bank and in addition for Distt./Zonal office of the same bank.
- 16 It is requested to quote in two parts (Technical & Commercial) as per our T.E clause No. 2.2, otherwise your offer will be rejected.
- 07 Firm must attach undertaking of T.E duly signed and stamped with technical offer.
- 08 Firms who are registered with SECP also eligible to participate in bid attach registeration certificate.
- Original bid money and tender fee must be reached in bid centre at the time of tender opening date time, however firm attach photocopy of bid money hiding the amount and tender fee with technical bid.
- 10 Firm must attached PTC, NTN, ATL certificates with technical offer.
- 11 Inspection Authority: GM-Electrical or his Authorized Rep.
- 12 Firm will provide evidence regarding payment of stamp duty @ 0.25% of contract value according to section 3 of stamp act 1899 at the time of payment along with billing documents.

# Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place	Signature of the	Tenderer	
Date	Name		
	Position		
	Address		
	Income Tax G.I.R	. No	
	Official Stamp		