

**GOVERNEMENT OF PAKISTAN
PAKISTAN ORDNANCE FACTORIES
WAH CANTT**

CORRIGENDUM

01. Opening date & schedule of following TEs has been amended as under:

FOR: 28-05-2025

Sr#	TE# & date	Store
01.	0062-LP-W-55 dated 26-04-2025	Procurement of Toolings (13 X items)
02.	0064-LP-W-55 dated 26-04-2025	Procurement of Toolings (08 X items)
03.	0065-LP-W-55 dated 26-04-2025	Procurement of Toolings (01 X items)
04.	0066-LP-W-55 dated 26-04-2025	Procurement of Toolings (05 X items)
05.	0068-LP-W-55 dated 26-04-2025	Procurement of Toolings (01 X items)
06.	0069-LP-W-55 dated 25-04-2025	Procurement of Toolings (01 X items)
07.	0050-LP-W-55 dated 25-04-2025	Procurement of Toolings (01 X items)
08.	0053-LP-W-55 dated 23-04-2025	Procurement of Toolings (01 X items)
09.	0055-LP-W-55 dated 25-04-2025	Procurement of Toolings (01 X items)
10.	0060-LP-W-55 dated 24-04-2025	Procurement of Toolings (13 X items)
11.	0070-LP-W-55 dated 25-04-2025	Procurement of Toolings (16 X items)

READ: 11-06-2025

Sr#	TE# & date	Store
01.	0062-LP-W-55 dated 26-04-2025	Procurement of Toolings (13 X items)
02.	0064-LP-W-55 dated 26-04-2025	Procurement of Toolings (08 X items)
03.	0065-LP-W-55 dated 26-04-2025	Procurement of Toolings (01 X items)
04.	0066-LP-W-55 dated 26-04-2025	Procurement of Toolings (05 X items)
05.	0068-LP-W-55 dated 26-04-2025	Procurement of Toolings (01 X items)
06.	0069-LP-W-55 dated 25-04-2025	Procurement of Toolings (01 X items)

READ: 18-06-2025

Sr#	TE# & date	Store
01.	0050-LP-W-55 dated 25-04-2025	Procurement of Toolings (01 X items)
02.	0053-LP-W-55 dated 23-04-2025	Procurement of Toolings (01 X items)
03.	0055-LP-W-55 dated 25-04-2025	Procurement of Toolings (01 X items)
04.	0060-LP-W-55 dated 24-04-2025	Procurement of Toolings (13 X items)
05.	0070-LP-W-55 dated 25-04-2025	Procurement of Toolings (16 X items)

02. The sealed bids duly completed in all respects, must reach **Bid center adjacent to Rabita Hall, POF Wah Cantt** on or before specified dates. Quotations must be submitted electronically on www.ebidding.pof.gov.pk. The closing time of bids is **10:30 hrs**. The tender will be opened at **11:00 hrs** on the same date at **Room No. 3, Bid Center, adjacent to Rabita Hall, POF Wah Cantt**


(Abdul Sattar Baloch)
GM-PPC-WPNs

20/5
15/5



POF 1262-A
(INDIGENOUS
SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0066/LP/WPN/55

DATED 26-APR-25

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

- 1.1 Tenders will be opened at **11:00 hours** on **11-JUN-25** at Bid Centre adjacent to Rabita Hall, POF Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: 0066/LP/WPN/55

Tender to be opened on: 11-JUN-25

Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER

ADJACENT TO RABITA HALL

POFs, WAH CANTT.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

- 2.1 **For Materials**, the prices should be filled in column 5 and delivery date in column 7 of the schedule to this Tender Enquiry. As per **PPRA Rule 36(b)**, **Single Stage two envelope method** will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).
- 2.2 **For Plant and Machinery**, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

Cont....P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **WAH CANTT**

In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting references to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt., that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

Contd...P-3

4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: **Director-Admin-POFs, Wah Cantt.** The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID Security

- 5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-PPC-WPNS

- 5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:

- a. Registered/indexed firms including foreign firms - 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
- b. Registered/un-indexed firms including foreign firms - 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
- c. Unregistered Firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
- d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
- e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
- f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
- g. Quotation accompanied with less bid money will be accepted on provisional basis for 10 x days after opening of bids. However the firms are bound to provide/furnish the balance bid money within 10 x days after opening of bid otherwise such quotations will be ignored or rejected
- h. Offers received without Bid Security will not be entertained.
- i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. ACCEPTANCE OF OFFERS

- 6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 PAYMENT

Payment will be made by the CMA(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc. if any, enclosed herewith - even if you are unable to quote.

WARNING In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to be removed from the approved list.

Yours faithfully

ABDUL SATTAR BALOCH
GM-PPC (W)

for PAKISTAN ORDNANCE FACTORIES

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0066/LP/WPN/55

26-APR-25

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	
1	CLAMPING HOLDER (TOOL HOLDER) CTBP R 1616 H11 1013-03.63 1013-03-63	NO	5				IMMEDIATE
2	REAMER 100199-1101 W4	NO	20				IMMEDIATE
3	HAND REAMER 20 MM H 7, DIN-206	NO	10				IMMEDIATE
4	TOOL HOLDER DIA 30MM GE 65 TYPE FOR REAR COVER N. MG3 V 6923000 KUB2/30 SK/T-6504	NO	5				IMMEDIATE
5	REAMER CARBIDE WITH OIL DUCT 340-30-002 DIA 15.80 H8 XG 88612-0200 H1 SK/T-6202	NO	20				IMMEDIATE

Total Rs =	
+ GST =	
Total value Rs =	

(2) For Plant & Machinery:
Specification:-

(3) Special Conditions

- 01 Only Registered suppliers (with sales tax and income tax department) who are on Active Tax Payers List (ATL) on FBR are eligible to supply goods or services to Govt. Department, (ATL with Business Name must be attached with offer of suppliers).
- 02 The provision of ATL, PTC and NTN is mandatory along with offers by the local supplier.
- 03 Undertaking must be enclosed with technical offer duly signed and stamped otherwise your offer will be ignored.
- 04 Inspection Authority: Rep of MD-Weapons.
- 05 POFs Management reserves the right to discourage the offers of supplier with poor/unsatisfactory performance (sub-standard/delayed supplies) against previously awarded contracts.
- 06 Recovery of Stamp Duty amounting to 0.25% of total contract value is liable to be recovered from the contractors.
- 07 GST as per rule will be applicable.
- 08 Delivery period will be 30 x days after issuance of contract.
- 09 Procurements exceeding Rs.10.00 Million shall be subject to an integrity pact, between the Purchase Officer and the suppliers or contractors being part of contract on the format duly approved by Federal Government vide Ministry of Finance (Finance Division) D.O.No.687/MD(PPRA)05, September 14,2005 Islamabad.
- 10 Shelf life of all tools/materials be mentioned in technical offer, which will be essentially considered for evaluation of technical bid

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0066/LP/WPN/55

26-APR-25

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery		Delivery Date
					In Figures	In Words	

- 11 Provision of sample is mandatory along with technical offer/s or within 07x days after technical opening. otherwise, your offer will be rejected.

Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____

Date _____

Signature of the Tenderer _____

Name _____

Position _____

Address _____

Income Tax G.I.R. No _____

Official Stamp _____



Schnitt A-B
Section

These drawings are subject to rights and title of the Federal Republic of Germany. Furthermore trade secrets or items coming within the domain of the rights and titles of these States, German and American, notwithstanding the right of the Federal Republic of Germany to punish otherwise.

F.R.G. U.S.A. S.W. G.F.R.
OBERLANDSRECHTAR

Technical drawing of a part with dimensions 0.4 and 0.5.

Geradheit des $\phi 4,5_{H10}$ bzw. $\phi 4,5_{H13}$ so, daß sich dieser Schaft in einer Hülse von $\phi 4,8^{H9}$ leicht verschieben läßt



gratfrei Buße freie
Kanten gebrochen edges to be chamfered
0,1 Größtmaß 0,5 high limit

Technical drawing of a mechanical part, likely a shaft or pulley, showing dimensions and tolerances. The drawing includes a cross-section view on the left and a side view on the right. Key dimensions and features are labeled:

- Overall width: $8 \pm 0,10$
- Inner diameter: $3,6 \pm 0,13$
- Outer diameter: $9,7 \pm 0,2$
- Length of the main body: $5 \pm 0,06$
- Length of the flange: $1,92$
- Flange thickness: $0,07$
- Flange outer diameter: $9,2$
- Flange inner diameter: $3,6$
- Flange height: $0,12$
- Flange chamfer: 5°
- Flange chamfer length: $1,5 \pm 0,1$
- Flange chamfer angle: 5°
- Flange chamfer radius: $0,1$
- Flange chamfer height: $0,5$

Technical drawing of a shaft with a keyway and a conical end. The drawing shows a shaft with a keyway of width 16 mm and a key of height 5 mm. The shaft has a diameter of 4.5 mm and a length of 30 mm. The conical end has a diameter of 4.5 mm and a length of 5 mm. The drawing is labeled with 'Z' for the keyway and 'A' for the key. The text 'auf ~ 30 lang 4,5h10 eingehalten, auf übrige Länge 4,5h13 erlaubt' is written below the drawing, and 'to be maintained over a length of approximate 30' is written below it.

Technical drawing of a mechanical part, likely a probe or stylus, showing dimensions and tolerances. The drawing includes a central shaft with a diameter of $\varnothing 0.6$ and a length of 9 ± 0.2 . A shoulder has a radius of $R 0.17$ and a width of 3 ± 0.3 . The tip features a conical section with a diameter of $\varnothing 0.5$ and a length of 6.5 . Other dimensions include a total length of 30 , a shoulder height of 0.6 ± 0.2 , and various chamfers and fillets indicated by angles like 45° and radii like $R 0.05$.

gratfrei-burr-free
 Kanten $\approx 0,2$ gebrochen
 eingest. bis $0,1$ mm
 eingesetzt 015 $\pm 0,1$ tief und
 behälter HR15 N=89-2
 (entspricht HV2 = 570 kg/mm² Klv.)
 Mph r 20 f
 (Schichtdicke etwa 0,01 mm)
 Thickness of layer approx.

in einer Ebene liegend
folgt in eine Ebene

A diagram of a pencil with a measurement point. A horizontal line represents the pencil, with a circular eraser at the left end and a pointed tip at the right end. A vertical line segment of length 25 is drawn from the eraser to a point on the pencil. This point is labeled "Hörtemesspunkt" and "thickness measuring point".

APPROVED BY C-1-A
DATED 17-4-85
M/D.O(W) *ES*

14 Ni Cr 14 = frühere Markenbezeichnung ECN 35 nach DIN 1662 Ausgabe Juni 1930
und zusätzlichen Sonderanlagungen $\left[\begin{smallmatrix} + \\ + \end{smallmatrix} \right]$
former ECN 35 nach DIN 1662 Ausgabe Juni 1930 und zusätzlichen Sonderanlagungen
Chemische Zusammensetzung *Chemical Composition* Gehalt in % *Content in %*

$\left[\begin{smallmatrix} + \\ + \end{smallmatrix} \right]$ C	Ni	Cr	Mn <	Si <	P <	S <	P+S <
$\frac{0,17}{0,16 + 0,17}$ <i>eingesamt empfohlen</i>	$35 \pm 0,25$	$0,75 \pm 0,2$	0,5	0,35	0,035	0,035	0,06

these percentages recommended.
Mechanische Eigenschaften im Anlieferungszustand:
Mechanical properties on supply
B = beste Bearbeitbarkeit
B = best machinability.

1 0.7.84

[illegible]

Stimmt bis auf Rundschliff-Fase 0,2^{+0,1} und Fase 1x45° mit
 Schaffträser 29° Fa. Fette Kol.-Nr. 1521 überein (ähnl. A DIN 845 Typ N)
 Corresponding to shank type cutter 29° of Messrs. Fette, Cat. -No 1521
 (similar to A DIN 845, Type N), except
 radial grinding heel 0,2^{+0,1} and chamfer 1x45°

verwendet für:

100199-1101
 100129-0101
 100159-0101
 100251-1101
 WK-W9008-0101
 WK-W9009-0101

Englische Stückliste siehe Blatt 1A
 Parts List in English see Sheet 1A

commercial design for the machining
 of CK 60 KV
 handelsübliche Ausführung
 zur Bearbeitung von CK 60 KV

radial grinding heel 0,2^{+0,1}
 referred to finished dia. 29,3
 Rundschliff-Fase 0,2^{+0,1}
 bezogen auf Fertigdurchmesser


Lettering:
 Beschriftung:

* 100199-1101 W4 (4) a, b, c, d

theoretical limit dimension, referred
 to 29,3^{H8} Precise actual dimension
 determined by BKI as per gun lat.

theor. Grenzmaß bezogen auf
 29,3^{H8} Genaueres Istmaß nach
 Gerätfcharge vom BKI bestimmt.

Vormäß = Anlieferungsdurch-
 messer für BKI.
 Rough size - supply dia. for BKI



70 (▽▽▽)

1	Fräser	1	HSS	Fa. Fette Schwarzenbek / Hbg.	
Stückzahl für 1	Benennung	Teil-Nr.	Werkstoff	Rohmaß	Bemerkungen
b 4x	Maßänderung (Ger.-A. 91990) neue Urzeichnung	11268/11269			
a -		11266			
Maßstab	1966	Tag	Name	Zeichnung Nr.	Hierzu
1:1	Bearbeitet	7.12.66	K. K. K.	100199-1101 W4 (4)	Blatt
	Geprüft			z=100199-1101	Ersatz für Zchnng. q. l. Nr. v. 11.12.65
	Normgepr.				
Rheinmetall G.m.b.H. Düsseldorf	VKB	Sheet 1	Reibahle zum Gehäuse, genietet	d=29 ^{H8}	AG 10

Chromatdruck RLD A. J. Schöper, Düsseldorf

WK-KW 9035-0101