

Government of Pakistan PAKISTAN ORDNANCE FACTORIES TENDER ENOUTRY

То	M/s	TENDER ENQUIRY
Dear	Sirs,	
DCal	•	rence: TENDER ENQUIRY NO. 0208/LP/CMC/55/P-A DATED 23-OCT-25
		You are requested to submit quotations for the item(s) noted in the Schedule to Tender. Please note the following instructions for filling the tender:-
1. <u>s</u> ı	UBMISS	ION OF TENDER
1.1	Hall www.e minut	ebidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 tes of opening time. The tender received late will not be entertained. You may ess the opening of the tender if you so desire. If a representative is deputed, he
		(www.ebidding.pof.gov.pk) BID CENTER
		ADJACENT TO RABITA HALL
		POFs, WAH CANTT.
2. <u>G</u>	ENERAL	INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS
2.3	the enve & co	Materials, the prices should be filled in column 5 and delivery date in column 7 of schedule to this Tender Enquiry. As per PPRA Rule 36(b), Single Stage two lope method will be utilized for "Open competitive bidding." Moreover, technical mmercial evaluation of Bids will be carried out strictly as per PPRA rules and ract(s) will be awarded to the most advantageous bidder(s).
2.2	Part lite: deli	Plant and Machinery, you are required to quote in two parts:- I "Technical Offer": It should exclusively give technical details and ratures/brochures of the offered plant, machinery and equipment; validity date; very schedule; and signed undertaking given on the schedule to this Tender Enquiry. ust not indicate price, costs etc.

-2- **POF 1262-A**

Part II "Commercial Offer": It should indicate the commercial terms e.g.price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-
 - F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at **WAH CANTT**In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting refrences to Registration No. in cases of Sales Tax and relevent authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt:, that he has cleared all Proffessional Tax payable by him" offers recieved without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

-3- POF 1262-A

4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: **Director-Admin-POFs, Wah Cantt.** The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-SOURCING DIRECT MATERIALS, POFS WAH CANTT.

- 5.2 Bid security instrument in original must be provided on the day/date of tender opeining in the Bid Center as under:
 - a. Registered/indexed firms including foreign firms 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
 - b. Registered/un-indexed firms including foreign firms 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
 - c. Unregistered Firms including foreign firms 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
 - d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
 - e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
 - f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
 - g. Quotation accompanied with less bid money will be accepted on provisional basis for $10 \times days$ after opening of bids. However the firms are bound to provide/furnish the balance bid money within $10 \times days$ after opening of bid otherwise such quotations will be ignored or rejected
 - h. Offers received without Bid Security will not be entertained.
 - i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

POF 1262

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

-4-

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumantances of the case.Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 **PAYMENT**

Payment will be made by the CMA(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc.if any, enclosed herewith - even if you are unable to $$\operatorname{quote}$.$

<u>WARNING</u> In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to removed from the approved list.

Yours faithfully

BUSHRA ALI MANAGER PURCHASE - I

for PAKISTAN ORDNANCE FACTORIES

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0208/LP/CMC/55/P-A 23-OCT-25

(1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery In Figures In Words	Delivery Date
1	BALL BEARING SINGLE ROW RADIAL NO.608 (ISO DIMENSION SERIES-10) 8 MM X 22 MM X 7 MM BS-292/1982 PT-I TABLE-7	NO	42			
2	BALL BEARING SINGLE ROW RADIAL NO.629 (ISO DIMENSION SERIES-02) 9 MM X 26 MM X 8 MM BS-292/1982 PT-I TABLE: 7	NO	5			
3	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6001 (ISO DIMENSION SERIES-10) 12 MM X 28 MM X 8 MM BS-292/1982 PT-I TABLE-9	NO	60			
4	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6002 (ISO DIMENSION SERIES-10) 15 MM X 32 MM X 9 MM BS-292/1982 PT-I TABLE-9	NO	118			
5	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6003 (ISO DIMENSION SERIES-10) 17 MM X 35 MM X 10 MM BS-292/1982 PT-I TABLE-9	NO	246			
6	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6004 (ISO DIMENSION SERIES-10) 20 MM X 42 MM X 12 MM BS-292/1982 PT-I TABLE-9	NO	453			
7	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6006 (ISO DIMENSION SERIES-10) 30 MM X 55 MM X 13 MM BS-292/1982 PT-I TABLE-9	NO	27			
8	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6201 (ISO DIMENSION SERIES-02) 12 MM X 32 MM X 10 MM BS-292/1982 PT-I TABLE-10	NO	462			
9	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6202 (ISO DIMENSION SERIES-02) 15 MM X 35 MM X 11 MM BS-292/1982 PT-I TABLE-10	NO	880			
10	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE (ISO DIMENSION SERIES 02) 6202 ZZ 15 MM X 35 MM X 11 MM BS-292/1982 PT-I TABLE-10	NO	1587			
11	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6203 (ISO DIMENSION SERIES-02) 17 MM X 40 MM X 12 MM BS-292/1982 PT-I TABLE-10	NO	664			
12	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE (ISO DIMENSION SERIES 02) 6203 ZZ 17 MM X 40 MM X 12 MM BS-292/1982 PT-I TABLE-10	NO	452			
13	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6204 (ISO DIMENSION SERIES-02) 20 MM X 47 MM X 14 MM BS-292/1982 PT-I TABLE-10	NO	315			
14	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE (ISO DIMENSION SERIES 02) 6204 ZZ 20 MM X 47 MM X 14 MM BS-292/1982 PT-I TABLE-10	NO	362			
15	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6205 (ISO DIMENSION SERIES-02) 25 MM X 52 MM X 15 MM BS-292/1982 PT-I TABLE-10	NO	221			
16	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE (ISO DIMENSION SERIES 02) 6205 ZZ 25 MM X 52 MM X 15 MM BS-292/1982 PT-I TABLE-10	NO	84			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0208/LP/CMC/55/P-A 23-OCT-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
17	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE (NO	145	<u> </u>		
''	ISO DIMENSION SERIES 02) 6206 ZZ 30 MM X 62	NO	143			
	MM X 16 MM BS-292/1982 PT-I TABLE-10					
18	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE NO.6207 (ISO DIMENSION SERIES-02) 35 MM X 72	NO	101			
	MM X 17 MM BS-292/1982 PT-I TABLE-10					
19	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	116			
	NO.6208 (ISO DIMENSION SERIES-02) 40 MM X 80					
20	MM X 18 MM BS-292/1982 PT-I TABLE-10 BALL BEARING SINGLE ROW RADIAL DEEP GROOVE			 		
20	NO.6209 (ISO DIMENSION SERIES-02) 45 MM X 85	NO	102			
	MM X 19 MM BS-292/1982 PT-I TABLE-10					
21	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	44			
	6301, ISO DIMENSION SERIES 03 12 MM X 37 MM X					
22	12 MM BS-292/1982 PT-I TABLE-11 BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	100	<u> </u> 		
22	6304, ISO DIMENSION SERIES 03 20 MM X 52 MM X	NO	100			
	15 MM BS-292/1982 PT-I TABLE-11					
23	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	561			
	6305, ISO DIMENSION SERIES 03 25 MM X 62 MM X 17 MM BS-292/1982 PT-I TABLE-11					
24	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	478	<u> </u>		
	6306, ISO DIMENSION SERIES 03 30 MM X 72 MM X		170			
0.5	19 MM BS-292/1982 PT-I TABLE-11 BALL BEARING SINGLE ROW RADIAL DEEP GROOVE			1		
25	6307, ISO DIMENSION SERIES 03 35 MM X 80 MM	NO	264			
	X 21 MM BS-292/1982 PT-I TABLE-11					
26	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	176			
	6308, ISO DIMENSION SERIES 03 40 MM X 90 MM X 23 MM BS-292/1982 PT-I TABLE-11					
27	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	166	<u> </u>		
21	6309, ISO DIMENSION SERIES 03 45 MM X 100 MM	INO	100			
	X 25 MM BS-292/1982 PT-I TABLE-11					
28	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	45			
	6309-Z, ISO DIEMENSION SERIES 03 45 MM X 100 MM X 25 MM BS-292/1982 PT-I TABLE-11					
29	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	48			
	6310, ISO DIMENSION SERIES 03 50 MM X 110 MM					
20	X 27 MM BS-292/1982 PT-I TABLE-11 BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO		<u> </u> 		
30	6311, ISO DIMENSION SERIES 03 55 MM X 120 MM	NO	53			
	X 29 MM BS-292/1982 PT-I TABLE-11					
31	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	5			
	6315, ISO DIMENSION SERIES 03 75 MM X 160 MM X 37 MM BS-292/1982 PT-I TABLE-11					
32	BALL BEARING SINGLE ROW RADIAL DEEP GROOVE	NO	10	<u> </u>		
-	6317, ISO DIMENSION SERIES 03 85 MM X 180 MM	INO	10			
	X 41 MM BS-292/1982 PT-I TABLE-11			<u> </u>		
33	BALL BEARING SINGLE ROW RADIAL LIGHT TYPE (SKF RLS-5) NO.BRL-5/8 5/8"X1-9/16"X7/16" BS-	NO	35			
	292/PT-2 (1982) TABLE-7					
	,				<u>'</u>	

(6)

(7)

(5)

PAKISTAN ORDNANCE FACTORIES

(3)

(4)

SCHEDULE TO TENDER NO. 0208/LP/CMC/55/P-A 23-OCT-25

(2)

(1)	(Z)	(3)	(4)	(3)	(0)	(/)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery In Figures In Words	Delivery Date
					ga. ee ve. ae	
34	BALL BEARING SINGLE ROW RADIAL LIGHT TYPE (SKF RLS-7) NO.BRL-7/8 7/8"X2"X9/16" BS-292/PT-2 (1982)	NO	30			
35	BALL BEARING SINGLE ROW RADIAL LIGHT TYPE (SKF RLS-8) NO.BRL-1 1"X2-1/4"X5/8" BS- 292/PT-2 (1982) TABLE-7-CAT NO-2000-E-III SKF	NO	35			
36	BALL BEARING SINGLE ROW RADIAL RLS-11, BRL-1- 3/8 1-3/8"X3"X11/16" BS-292/PT-2 (1982) TABLE-7	NO	5			
37	BALL BEARING SINGLE ROW RADIAL MEDIUM TYPE JOURNAL RMS-8, BRM-1 1"X2-1/2"X3/4" BS- 292/PT-2 (1982) TABLE - 8	NO	55			
38	BALL BEARING SINGLE ROW RADIAL MEDIUM TYPE BRM-1-1/2, RMS-12 1-1/2"X3-3/4"X15/16" BS- 292/PT-2 (1982) TABLE-8	NO	50			
39	RADIAL BALL BEARING S/ROW A/CONTACT ACM-1- 3/8	NO	10			
40	BALL BEARING DOUBLE ROW SELF ALIGNING WITH TAPER BORE 1209 K 45 MM X 85 MM X 19 MM BS- 292/1982 PART-1 TABLE-20	NO	12			
41	CYLINDRICAL ROLLER BEARING MEDIUM TYPE N-317 85 MM X 180 MM X 41 MM BS-292/1982 PART-1 TABLE-26	NO	15			
42	CYLINDER BEARING MEDIUM TYPE RRM-2-1/4 (SKF COMPANY BRAND RMS-16) 2-1/4" X 5" X 1-1/4" BS-292/1982 PART-2 TABLE-8	NO	15			
43	SINGLE THRUST BALL BEARING WITH FLAT HOUSING WASHER 51111 55 MM X 78 MM X 16 MM BS-5989/PT-I, 1980 TABLE-2	NO	25			

Total Rs =	
+ GST =	
Total value Rs =	

(2) For Plant & Machinery:
 Specification:-

(3) Special Conditions

(1)

- i). Only single competitive rate must be quoted against each TE item. The quotation must hold good for 90 days from the date of commercial opening (extendable if so desire)
- ii). Date and stamp of the postal order must be visible.
- iii). PTC issued by Punjab / relevant Province must be provided.
- iv). Status of your firm with POF (registered/un-registered) should be mentioned in your offer.
- Registered firms are required to provide copy of valid registration letter with POF.
- v) a. Only registered suppliers (with Sales Tax & Income Tax Deptt.) who are on Active Taxpayers List (ATL) of FBR are eligible to supply good/services to Government departments.
- b. The payment to the registered persons may be linked with the active taxpayer status of the suppliers

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0208/LP/CMC/55/P-A 23-OCT-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery In Figures In Words	

as per FBR database. If any registered supplier is not in ATL his payment should be stopped till he files his mandatory returns and appears on ATL of FBR.

- vi). Technical Literature (in English Language/version) along with chemical composition of offered items must be provided at the time of competitive bid submission.
- vii). Final inspection / acceptance of store will be made on successful functional trials along with Chemical and mechanical testing as per procedure in vogue.
- viii). Contracted/Supplied Store must be as per tendered specification.
- ix). Un-registerd firms provide 01x year bank statement.
- x). MSDS against contracted item(s) is required to be provided by the supplier.
- xi). Firms registered with Securities & Exchange Commission of Pakistan (SECP) will be preferred. However, such firms are required to provide/ attach the registration certificate/evidence their of with the quotation for evaluation.
- xii). The store should be of reputed OEM/Branded Company.
- xiii). If the excess quantity of store is delivered which exceeds the allowed tolerance of + 5 % of the contracted quantity, the same may be considered free of cost (non-returnable)
- xiv). Provision of Quality Test Certificate of an accredited lab with established trace abilities, if demanded/required.
- xv). Inspection Authority: Dir-QA or his Authorized Rep
- xvi) Technical/Commercial quotations Generated through E-bidding module duly signed/stamped on firm's letter head must be attached with both Technical Part and Commercial Part of TE separately (in Soft & bard form)
- xvii) Bidders/suppliers must mention the "Expected Shelf Life" of material/ manufactured components and same will be considered during Technical Evaluation as well.

Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place	Signature of the Tendere	er
Date	Name	
	Position	
	Address	
	Income Tax G.I.R. No	
	Official Stamp	