



POF 1262
(FOREIGN SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0003/FP/MAA/55/A

DATED 09-OCT-25

You are requested to submit quotations for the item(s) noted in the schedule to the tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

- 1.1 Tenders will be opened at 11:30 hours on 08-JAN-26 at Bidding Centre adjacent to Rabita Hall, POF Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: 0003/FP/MAA/55/A
Tender to be opened on: 08-JAN-26
Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER

ADJACENT TO RABITA HALL

POFs, WAH CANTT.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

- 2.1 **For Materials**, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. As per **PPRA Rule 36(b)i.e Single Stage two envelope method** will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).
- 2.2 **For Plant and Machinery**, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking to this Tender Enquiry. It must not indicate price, costs etc.

Cont....P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.
- 2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals / manufacturers.
- 2.9 Country of origin and port of shipment to be stated.
- 2.10 Suppliers will render/attach necessary information regarding hazardous effects on environment, of the materials/products supplied by them, with their quotations and shipping/despatch documents.
- 2.11 If the requisite information is not furnished along with the quotation or offer received is not in conformity with the requirement of the T.E, such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE

Purchase officer may require a tender sample, and the same must be provided within two weeks of receipt of intimation to this effect. Tender sample must be according to the description given in Tender Enquiry. Firm that fail to provide tender sample within stipulated time will not be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

- 4.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposals. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

4.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.

4.1.3 Notice of the rejection of bids or proposals shall be given promptly to the concerned suppliers or contractors that submitted bids or proposals.

4.2 PERFORMANCE BOND

(a) The successful bidder will provide Performance Bond at the rate up to 10% of F.O.B value of the contract in favour of Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.
(Clause-42 (a i) is not applicable in case of procurement of Plant/Equipment/Machinery items).
- OR
- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier:

4.4 PAYMENT

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

5. BID Security

- 5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-PLANNING-AA

- 5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:
- Registered/indexed firms including foreign firms - 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
 - Registered/un-indexed firms including foreign firms - 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
 - Un-Registered firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
 - Gov. organization/Production Units/State owned enterprises/welfare projects of Svcs HQ - Rs 0.5 Mn can be waived off on request by DG(C).
 - Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
 - Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
 - Bids will be conditionally accepted if Bid Money deposited by firms is less than the given amount. However, the firms will be required to deposit additional amount within 10 x days of opening of Bids.
 - Offers received without Bid Security will not be entertained.
 - Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

WARNING

In case the firm abstain from making offers or fail to acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Faithfully

(MUHAMMAD IQBAL)

MANAGER-PUR-AA

for PAKISTAN ORDNANCE FACTORIES

Tele 051-9055-22214

Fax 051-9271400

Telex 5840 POFAC PK

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO.

0003/FP/MAA/55/A

DATED

09-OCT-25**(1) FOR MATERIALS**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
1	STEEL WIRE 0.030" - 0.005" (0.762 MM -0.015 MM) DIA, LENGTH OF BAR 3-4 METER QQ-W-423A, TYPE 410,COND. C U.T.S:58/67 TON/SQ OR QQ-S-763 C TYPE 416, COND. H OR QQ-S-763 C TYPE, 416, COND. H OR BS-1554, STEEL 431-S-29, HARDENED & TEMPERED UTS: 55/64 TON/SQ	KG	5			
2	SPRING STEEL WIRE 0.008" DIA (0.203 MM) QQ-W-470 OR BS-5216, CODE 'M', GRADE-4	KG	15			
3	SPRING STEEL WIRE 0.011" DIA (0.2794 MM) BS-5216 CODE "M", GRADE 4 OR QQ-W-470 (a)	KG	11			
4	STEEL SPRING WIRE 0.036" (20 SWG) DIA (0.9144 MM) QQ-W-470 OR BS-5216 GD-4 CODE.M COND TINNED	KG	15			
5	STEEL WIRE CORROSION RESISTING DIA : 0.0133" (0.34 MM) QQ-W-423, Cond. B OR BS-2056,(1953), EN-58 E TENSILE STRENGTH = 130/140 TSI	KG	7			
6	SPRING STEEL WIRE 0.025"(0.635 MM) DIA TINNED QQ-W-470 OR BS-5216 CODE 'M' GRADE-4	KG	94			
7	STEEL WIRE 1.62 MM DIA (16 SWG), LENGTH OF BAR = 3-4 METER QQ-S-633, FS-1020 COLD DRAWN BRIGHT FINISH OR WIRE STEEL FS-1020 BARE SPEC QQ-W-461	KG	54			
8	STEEL COLD ROLLED CLOSED ANNEALED SHEARED EDGE STRIP 0.625" WIDE 37SWG THICK 0.007" (15.875 X 0.1778) BS-1449 PART-I CR4 OR QQ-S-00640 MM THICK WIDE QQ-S-00640	KG	29			
9	STEEL STRIP 0.750" WIDE X 0.02094" + 0.003" - 0.002" THICK QQ-B-00640 TEMP. NO. 2 OR BS-1449, Pt-I CR4GP 19.05 MM WIDE X 0.531 MM - 0.05 MM + 0.072 MM THICK COLD ROLLED & CLOSED ANNEALED	KG	270			
10	STEEL CORROSION RESISTING SPECIAL WIRE 0.152 MM DIA +- 0.0105 MM ASTM-A-313, 1987, UNS DESIG S-30200 TYPE 302, CL-1 BS-1554, 1981, 302 S31, T/2, COLD DRAWN, UTS=145/158	KG	2			
11	STEEL BAR 2 MM DIA (0.078"), LENGTH OF BAR = 3-4 METER STEEL CORROSION RESISTING CLASS 416 COND"H"TO SPEC QQ-S-763C OR BS-970 PT 3,CLASS 416-S-21 COND"R" STEEL CORROSION RESISTING CLASS 416 COND. H	KG	66			

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0003/FP/MAA/55/ADATED 09-OCT-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	OR BS-970 PT-3, CLASS 416-S-21, COND. 'R'					
12	STAINLESS STEEL BAR DIA : 3.5 MM, LENGTH : 3-4 METER STEEL CORROSION RESISTING CLASS 416 COND"H"TO SPEC QQ-S-763C OR BS-970 PT 3,CLASS 416-S-21 COND"R"	KG	210			
13	STAINLESS STEEL BAR 3 MM DIA ASTM-581-80 TYPE 416 COND "T" OR BS-970-416 "S-41", COND. R	KG	31			
14	STAINLESS STEEL BAR 2.5 MM DIA STEEL CORROSION RESISTING CLASS 416 COND"H"TO SPEC QQ-S-763C OR BS-970 PT 3,CLASS 416-S-21 COND"R" 416 S-21, COND. R	KG	95			
15	STAINLESS STEEL ROD CORROSION RESISTING 4 MM DIA CLASS 416 COND"H"TO SPEC QQ-S-763C OR BS-970 PT 3,CLASS 416-S-21 COND"R" LENGTH=2 TO 3 MTR.	KG	83			
16	STAINLESS STEEL BAR 5.5 MM DIA QQ-S-633 a, FS- 1137 OR BS-970, Pt-1, STEEL 212 M36, (Q) OR QQ-S-763 (C), CLASS 416	KG	162			
17	COPPER BERYLLIUM ALLOY STRIP WIDE=14.29MM X 0.508MM ± 0.025MM THICK QQ-C-533 COND 1/2 H	KG	64			
18	ALUMINIUM ALLOY BAR COLD DRAWN DIA 7.00 mm +0.05 -0.10 mm AU4-Pb X 646 (IU-921006) OR BS-1474, LENGTH = 3 - 4 METER Material Designation 2014 A, Condition T4.	KG	91			

(2) For Plant & Machinery:
Specification:-

- (3) Special Conditions
- 01 ANY QUANTITY OF STORE, IF FOUND DEFECTIVE FUNCTIONALLY WILL ESSENTIALLY BE REPLACED BY THE SUPPLIER FREE OF COST UNDER HIS OWN ARRANGEMENT.
 - 02 THE STORE MUST BE PROTECTED ADEQUATELY AND APPROPRIATELY AGAINST DAMAGES ENVIRONMENTAL EFFECTS, WATER OR OTHER SUBSTANCES DURING JOURNEY /TRANSPORTATION OR WITHSTAND THE ROUGH HANDLING NVOLVED IN TRANSIT & PROVIDE PRESERVATION OF MATERIAL WHILE HELD IN STORAGE BY THE CONSIGNEE. NEW PARTICIPANTS/BIDDERS ARE OBLIGATORY/ TO FORWARD NECESSARY CREDENTIALS

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0003/FP/MAA/55/ADATED 09-OCT-25

- 03 OF THEIR FIRM SHOWING/ELABORATING DETAILS OF THEIR BUSINESS WITH GOVT/SEMI GOVT. & PUBLIC SECTOR ORGANIZATIONS/DEPARTMENTS OF PAKISTAN ALONG WITH THEIR QUOTATION.
- 04 FIRM ENTERING INTO BUSINESS WITH POFS FIRST TIME, 100% PAYMENT WILL BE MADE AFTER ACCEPTANCE OF STORE AT POFS THROUGH DIRECT REMITTANCE/L.C/TA LONDON.
- 05 THE FIRM WHO IS NOT CAPABLE TO GET EXPORT LICENSE FROM THEIR RESPECTIVE DEPARTMENT, IS NOT ALLOWED TO PARTICIPATE IN THE TENDER.
- 06 PRICE MUST BE QUOTED ON FOB AS WELL AS C&F BASIS.
- 07 STORE WILL BE SUPPLIED ON 12 MONTHS WARRANTY GUARANTEE BASIS.
- 08 CHINESE FIRM MAY QUOTE IN YUAN/CNY AND HONG KONG BASED FIRMS IN HK\$.
- 09 INSPECTION OF STORE WILL BE CARRIED OUT BY DIR-QA OR HIS AUTHORIZED REP. STORE WILL ALSO BE INSPECTED FOR FUNCTIONAL TEST/TRIAL
- 10 UNDERTAKING OF TE MUST BE ATTACHED WITH TECH. OFFER DULY SIGNED / STAMPED.
- 11 FOR INDIGENOUS SUPPLIERS (BELOW).
- 12 PRICE SHOULD BE QUOTED IN LOCAL CURRENCY ON FOR WAH CANTT BASIS.
- 13 100% PAYMENT WILL BE MADE AFTER RECEIPT AND ACCEPTANCE OF STORE AT POFS THROUGH CROSSED CHEQUE.
- 14 FIRMS WILL DEPOSITE 0.25% STAMP DUTY OF TOTAL CONTRACTED VALUE TO CONCERNED REVENUE OFFICE
- 15 DELIVERY PERIOD 03 MONTHS AFTER PLACEMENT OF CONTRACT
- 16 FIRM WILL PROVIDE PTC OF THEIR CONCERNED PROVINCE WITH TECHNICAL OFFER AND AT THE TIME OF PAYMENT.
- 17 FIRM 'S WHO ARE ACTIVE ON FBR STATUS LIST ARE ONLY ELIGIBLE AND ATTACHED ATL, NTN WITH THEIR TECHNICAL OFFER
- 18 AFTER PLACING OF CONTRACT, ACCEPTED COPIES OF THE CONTRACT DULY SIGNED AND STAMPED MUST BE PROVIDED WITHIN 05 DAYS.
- 19 SHELF LIFE OF THE STORE SHALL BE INDICATED IN THE TECHNICAL OFFER FOR EVALUATION AND AT THE TIME OF SUPPLY OF STORE IT SHALL ALSO BE CLEARLY MENTIONED ON THE PACKING.

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1282, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Postion _____
Address _____
Income Tax G.I.R. No _____