



POF 1262
(FOREIGN SUPPLIES)

Government of Pakistan
PAKISTAN ORDNANCE FACTORIES
TENDER ENQUIRY

To

M/s

Dear Sirs,

Reference : TENDER ENQUIRY NO. 0043/FP/WPN/55

DATED 07-APR-25

You are requested to submit quotations for the item(s) noted in the schedule to the tender. Please note the following instructions for filling the tender:-

1. SUBMISSION OF TENDER

- 1.1 Tenders will be opened at 11:00 hours on 11-JUN-25 at Bidding Centre adjacent to Rabita Hall, POF Wah Cantt. Quotation must be submitted electronically on www.ebidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 minutes of opening time. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.

Tender Enquiry No: 0043/FP/WPN/55
Tender to be opened on: 11-JUN-25
Address as follows:-

(www.ebidding.pof.gov.pk) BID CENTER

ADJACENT TO RABITA HALL

POFs, WAH CANTT.

2. GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS

- 2.1 **For Materials**, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. As per **PPRA Rule 36(b)i.e Single Stage two envelope method** will be utilized for "Open competitive bidding." Moreover, technical & commercial evaluation of Bids will be carried out strictly as per PPRA rules and contract(s) will be awarded to the most advantageous bidder(s).
- 2.2 **For Plant and Machinery**, you are required to quote in two parts:-
Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking to this Tender Enquiry. It must not indicate price, costs etc.

Cont....P-2

Part II "Commercial Offer": It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on FOB. The consignment will be shipped through Pakistan National Shipping Corporation (PNSC). In case there is no PNSC service in the country of shipping, please quote on C & F basis. The freight should be indicated separately. Insurance premium should not be included in the quoted price. However, where insurance is considered necessary, advice to that effect should be given in the quotation.
- 2.8 Submission of the offer through an agent in Pakistan should be avoided. In case it is considered inevitable, the agent's quotation must invariably be accompanied by the original proforma invoice from the principals / manufacturers.
- 2.9 Country of origin and port of shipment to be stated.
- 2.10 Suppliers will render/attach necessary information regarding hazardous effects on environment, of the materials/products supplied by them, with their quotations and shipping/despatch documents.
- 2.11 If the requisite information is not furnished along with the quotation or offer received is not in conformity with the requirement of the T.E, such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

3.3 TENDER SAMPLE

Purchase officer may require a tender sample, and the same must be provided within two weeks of receipt of intimation to this effect. Tender sample must be according to the description given in Tender Enquiry. Firm that fail to provide tender sample within stipulated time will not be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

4. ACCEPTANCE OF OFFERS

- 4.1.1 The procuring agency may reject all bids or proposals at any time prior to the acceptance of a bid or proposals. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the grounds for its rejection of all bids or proposals, but is not required to justify those grounds.

4.1.2 Procuring agency shall incur no liability, solely by virtue of its invoking sub-rule (1.1) towards suppliers or contractors who have submitted bids or proposals.

4.1.3 Notice of the rejection of bids or proposals shall be given promptly to the concerned suppliers or contractors that submitted bids or proposals.

4.2 PERFORMANCE BOND

(a) The successful bidder will provide Performance Bond at the rate up to 10% of F.O.B value of the contract in favour of Controller Military Accounts (CMA) POF Wah Cantt. The Performance Bond will be furnished in the form of Deposit At Call Receipt (CDR) from any scheduled bank in Pakistan or an unconditional bank guarantee on prescribed proforma covered by any scheduled bank in Pakistan. The performance Bond shall be furnished within 45 days from the date of opening of Letter of Credit. It shall be valid for a period of 12 months after the date of expiry of letter of credit. If the Performance Bond is not furnished within the prescribed time of 45 days, the Purchaser reserves the right to:

- i. Impose penalty @ 1% per month of the value of CDR/BG.
(Clause-42 (a i) is not applicable in case of procurement of Plant/Equipment/Machinery items).
- OR
- ii. Cancel the contract and make other arrangements for purchase of the stores at the risk and expense of the Supplier.

(b) No Performance Bond will be required if the total FOB value of the contract is less than US \$50,000 and contract is placed directly on the foreign Supplier.

4.3 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier:

4.4 PAYMENT

Payment will normally be made by means of irrevocable letter of credit. Unless otherwise stated 90% payment will be released on submission of despatch documents to Bank while balance 10% payment will be released on receipt and acceptance of store by the consignee.

All Bank charges incurred in Pakistan in connection with the establishment of L.C. will be borne by the Purchaser, whereas all Bank charges incurred in connection with drawing of payment including charges for confirmation of L.C. by the advising Bank/Foreign Bank will be borne by the Supplier.

5. BID Security

- 5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-PPC-WPNS

- 5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:
- Registered/indexed firms including foreign firms - 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
 - Registered/un-indexed firms including foreign firms - 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
 - Un-Registered firms including foreign firms - 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
 - Gov. organization/Production Units/State owned enterprises/welfare projects of Svcs HQ - Rs 0.5 Mn can be waived off on request by DG(C).
 - Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
 - Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
 - Bids will be conditionally accepted if Bid Money deposited by firms is less than the given amount. However, the firms will be required to deposit additional amount within 10 x days of opening of Bids.
 - Offers received without Bid Security will not be entertained.
 - Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

WARNING

In case the firm abstain from making offers or fail to acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to be removed from the approved list.

Yours Faithfully

(ABDUL SATTAR BALOCH)

GM-PPC(W)

for PAKISTAN ORDNANCE FACTORIES

Tele 051-9055-22138

Fax 0519271400, 0596-2995

Telex mdwpm@pof.gov.net

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0043/FP/WPN/55DATED 07-APR-25**(1) FOR MATERIALS**

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
1	CASE HARDENING STEEL COLD DRAWN & ANNEALED (LENGTH=3-3.5 Mtr)(MP5A2) 20 X 35 MM 16 Mn Cr 5 GK BG DIN 17210, 1.7131 BS 970 PT-1 527 M17 SAE 5115,UNS G-51150	KG	3800			IMMEDIATE
2	CASE HARDENING STEEL (TREATED FOR STRENGTH) DIA 4.5 MM 16 Mn Cr 5 BF (1.7131) (DIN 17210 OR BS 970 PT-I (1983) 527 M17 1.7131	KG	20			IMMEDIATE
3	BALL BEARING STEEL COLD DRAWN AND ANNEALED DIA 5.2 MM 100 Cr 2 K+G (1.3501) DIN 17230 Like ball and roller bearing steel 105 Cr 2 acc. to steel and iron material sheet 350-53, acc. to DIN 17007 sheet 2 and standard book 3, material no 1.3501, supply condition for standard K+G Tensil Strength=95 Kg/mm Sqr approx. After Hardening AND Tempering at 55 +5 HRC. Tensile Strength = 200+30 Kg/mm2. Yeild Point = 185+25 Kg/mm2 Elongation at rupture 1+1% Min With out superficial decarborization.Contents of carbon approx 1%. DIN 668 Length= 3 Meter	KG	67			IMMEDIATE
4	HIGH SPEED STEEL HEAT TREATED FOR GOOD MACHINEABILITY. DIA 8.5 MM, DIN 175 S 6 - 5 - 2 (1.3343) ,DIN -17350 OR. BS 4659 BM 2 Length. 3-5 Mtr. According to Steel/iron mater- ial sheet 320-69 material No. 1.3343 Acc.to DIN 17007 sheet-2 as supplement for the materail sheet. Additional chemicalcomposition as follow Si=0.25%,Mn=0.3% P=0.03%,S=0.03%.Max value without Super ficial decarborization. Inspected for cracks.	KG	120			IMMEDIATE
5	STEEL BRIGHT DRAWN (MG-3) DIA 18 MM, 15 Cr NI 6 K,	KG	68			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0043/FP/WPN/55DATED 07-APR-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	DIN-17210 (1.5919) Drawing No 01-0301.02 (LENGTH=3-4 MTR)					
6	CASE HARDENING STEEL BRIGHT ANNEALED (G3A3/MP5A2) DIA 20MM, DIN-671 (LENGTH 3-3.5MTR) 16Mn Cr 5 BG, DIN-17210 (1.7131) OR 16 Mn Cr 5 + FP (1.7131) DIN-EN-10084 - June 1998 OR BS 970 Pt-I 527 M 17 Inspected for Cracks.	KG	600			IMMEDIATE
7	COLD WORK STEEL BRIGHT ANNEALED Size.15 X 18 MM DIN, 174 Cq 35 K+G (1.1172) DIN 1654 length 4-4.5 Mtr, OR BS-970 PT-1 060 A32, Contraction of area 60% min. up setting test :50% Forming in degree: 60-70%. Tensile strength= 55 KG/mm SqrMax. Or 550 N/mm Sqr Max. checked for cracks. chemical Composition, C=0.32-0.36 %, S=0.025-0.04%.	KG	361			IMMEDIATE
8	COLD WORK STEEL BRIGHT ANNEALED. DIA 10 MM DIN. 668. LENGTH 3-3.5 MTR Cq 35 K+G (1.1172) DIN.1654	KG	280			IMMEDIATE
9	STEEL BRIGHT DRAWN & ANNEALED (MG-3) DIA 7 MM C 35 E+LC EN-10132-3 Drawing No 01-0108.03 OR BS-970 PT-I (1983) 080M 36	KG	27			IMMEDIATE
10	STEEL BRIGHT DRAWN AND ANNEALED (MG-3) DIA : 8 MM. 01-0112.03, CK 45 K + G (1.1191) OR BS-970 PT-1060 A 47 OR C 45 E + A OR + LC	KG	29			IMMEDIATE
11	STEEL BRIGHT DRAWN AND NORMALISED DIA 12 MM DIN.671. CK 45 K+N (1.1191)DIN.1652 OR	KG	26			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0043/FP/WPN/55DATED 07-APR-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	BS-970 PT-I 060 A47 SAE-1045,AISI-1045, UNS G-10450 Length= 3-4 Meter.					
12	STEEL BAR HOT ROLLED AND ANNEALED (MG-3) DIA 13 MM St 52-3 (1.0570) DIN- 1652 OR CK 15 K (1.1141) DIN-17210 Drawing No 01-0501.05	KG	21			IMMEDIATE
13	STEEL STRIP COLD ROLLED (MG-3) 2.5 X 96GK, DIN 1544, LENGTH : 3-4MTR. ST BL 42 TZ, *Acc. to TTL SAE1034 AISI C1034 UNS G 10340	KG	132			IMMEDIATE
14	STEEL BRIGHT DRAWN AND NORMALIZED DIA 10.5 MM St 50 K+N DIN 668 LENGTH= 3-4 MTR. (1.0531) DIN-1652 OR CK 15 G DIN- 17210	KG	27			IMMEDIATE
15	CASE HARDENING ALLOYED STRUCTURAL STEEL HOT, ROLLED AND ANNEALED Dia 36 mm 15 Ni Cr 13 (Rod Length= 3-4 Mtr.) (1.5752) EN 10084 OR BS-970 PT-I 655 H13, 655 M13	KG	2967			IMMEDIATE
16	CASE HARDNING STEEL COLD DRAWN DIA 13.5 MM, DIN. 671 CK 15 K DIN 17210 OR LENGTH; 4-4.5 MTR. (1.1141) OR BS 970 PT-I 080 M15 OR AISI 1015, SAE 1015, UNSG 10150, or C 15K (1.0401) BS 970 PT-I 080 A15, OR SAEM 1015 UNSG 10150	KG	390			IMMEDIATE
17	CASE HARDENING STEEL COLD DRAWN (G3A3/MP5A2) DIA 6 MM C15 +C(1.0401)EN-10277-2 OR BS 970 PT-I 080 A15	KG	120			IMMEDIATE
18	CASE HARDENING COLD WORK STEEL BRIGHT ANNEALED (G3A3) C 15 KG (1.0401) DIN- 17210, OR Cq 15 KG, (1.1132) DIN- 1654, OR BS-970 PT-080 A15. Size 8.2 - 0.22	KG	53			IMMEDIATE
19	CASE HARDNING STEEL COLD DRAWN SIZE. 15 MM DIN 671. (LENGTH=+3-3.5 MTR) C 15 E, +A (1.1141) DIN- EN 10084	KG	260			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0043/FP/WPN/55DATED 07-APR-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
20	SPRING STEEL WIRE PHR (LENGTH= IN COIL)(MP5A2) 0.8 MM.DIN.2076 GRADE-D DIN.17223 Pt-I DEC 84 1.1211	KG	14			IMMEDIATE
21	FREE CUTTING STEEL BRIGHT DRAWN DIN.2076(MG-3) DIA 8 MM 10 S 20 K (1.0721) DIN-1651 Drawing No 01-0100.15	KG	7			IMMEDIATE
22	STEEL BRIGHT DRAWN & ANNEALED (MG-3) DIA 8 MM CK 45 K+G (1.1191) DIN-1652 OR BS-970 PT-I 060 A 47	KG	13			IMMEDIATE
23	FREE CUTTING STEEL COLD DRAWN DIA 10 MM 9 S Mn 28 K, OR BS 970 PT-I 230 M 07 (1.0715) SAE 1213 AISI 1213 DIN 1651 1.0715 UNSG 12130 DIN-671 (LENGTH= 3-3.5 MTR)	KG	80			IMMEDIATE
24	FREE CUTTING STEEL COLD DRWAN (G3A3) DIA : 16MM, 3-3.5MTR 9 S Mn 36 K (1.0736) DIN-1651 OR BS 970 Pt-1 240 M07	KG	220			IMMEDIATE
25	STEEL BRIGHT DRAWN AND NORMALIZED (MG-3) DIA 9 MM, CK 15 K+N Drawing No 01-0401.03 (1.1141) DIN-1652 OR C15 E+A OR +LC EN-10132-2 OR BS-970 PT-I 080 M 15	KG	5.9			IMMEDIATE
26	MILD STEEL BRIGHT DRAWN AND ANNEALED (MG-3) DIA 8.8 MM ST 37-2 K+G Cq 35 K+G DIN 1654 BS-970 PT-I 060 A12 ASTM-A29 1013 DIN-1652 (LENGTH= 3-4 MTR)	KG	87			IMMEDIATE
27	MILD STEEL HOT ROLLED AND ANNEALED DIA 65 MM CK 15 DIN. 17210 (1.1141) DIN-17210 (Length= 3-4 Mtr) OR. BS-970 PT-1 030 M15 OR. AISI 1015,SAE 1015 UNSG 10150 C 15E EN-10132-2	KG	1570			IMMEDIATE
28	COLD ROLLED STEEL STRIP LENGTH: 3-3.5 MTR.(MP5A2) 1.2F+_0.03X 86MM DIN-1544, St 4 LG BK (1.0338) DIN.1624	KG	260			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0043/FP/WPN/55DATED 07-APR-25

(1)	(2)	(3)	(4)	(5)		(6)
Item No.	Description with Specs. etc.	Unit	Qty	Price Per Unit FOB or free delivery		Delivery Date
				In Figures	In Words	
	Drawing No 25-510.01 BS 1449 PT-1 2HR,HS,CR,CS					
29	CASE HARDENING STEEL STRIP LENGTH: IN COIL(MP5A2/G3A3) 1.42 -0.04 X 38 DIN.1544 C 10 RP DIN. 17210 (1.0301) OR BS 1449 PT-I HR/HS 40/30	KG	107			IMMEDIATE
30	HEAT TREATABLE STEEL COLD DRAWN DIA 10 MM DIN.668. C 45 E+AC (1.1191) DIN-EN-10083-1 length: 4-4.5 MTR. C45 PbK (1.0503) DIN 17200 OR C 45 K (1.0503) DIN 17200 OR BS-970 PT-1 080 M 46 CHEMICAL COMPOSITION LIKE C 45 WITH ADDITION OF 0.15 TO 0.30 % Pb INSPECTION OF CRACKS	KG	360			IMMEDIATE
31	SPRING STEEL STRIP (G-3) 0.5 X 18 MM C 75 K+G GK OR MK 75 K+G GK OR Drawing No 25-105.011 BS 1449 PT-1 HS, CS 80 ASTM A682 1074 (17222) 1.1248 Edges chamfered burr free, plain & grease.	KG	20			IMMEDIATE
32	SPRING STEEL WIRE Phr (LENGTH= IN COIL)(G3A3/MP5A2) DIA 1.10 C DIN.2076. GRADE-D DIN. 17223, Pt-I 1.1211	KG	224			IMMEDIATE
33	SPRING STEEL WIRE Phr, DIA:1.25 C, DIN-2076 DIN-EN-10270-1 GRADE SH/DH (IN COIL)	KG	1.4			IMMEDIATE

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO.

0043/FP/WPN/55

DATED

07-APR-25**(2) For Plant & Machinery:
Specification:-**

- (3) Special Conditions**
- 01 Inspection Authority: QA Wah
 - 02 Only Registered suppliers (with sales tax and income tax department) who are on Active Tax Payers List (ATL) on FBR are eligible to supply goods or services to Govt. Department, (ATL with Business Name must be attached with offer of suppliers).
 - 03 The provision of ATL, PTC and NTN is mandatory along with offers by the local supplier.
 - 04 Offers received with multiples rates will not be entertained
 - 05 Undertaking must be enclosed with technical offer duly signed and stamped otherwise your offer will be ignored.
 - 06 As per P.P.R.A. Rule (Two Envelop) Kindly send Technical and Commercial quotation separately, Technical quotation will be opened on due date.
 - 07 POFs Management reserves the right to discourage the offers of supplier with poor/unsatisfactory performance (sub-standard/delayed supplies) against previously awarded contracts.
 - 08 Payment will be made according to TE clause No. 4.4. However, 100% payment will be made after receipt and acceptance of store in POF for firms who are participating first time with POF.
 - 09 Delivery period will be 90 x days after issuance of contract.
 - 10 Procurements exceeding Rs.10.00 Million shall be subject to an integrity pact, between the Purchase Officer and the suppliers or contractors being part of contract on the format duly approved by Federal Government vide Ministry of Finance (Finance Division) D.O.No.687/MD(PPRA)05, September 14,2005 Islamabad.
 - 11 Local firm can also participate as per POF procedures on FOR basis.
 - 12 Recovery of Stamp Duty amounting to 0.25% of total contract value is liable to be recovered from the contractors.
 - 13 Shelf life of all tools/materials be mentioned in technical offer, which will be essentially considered for evaluation of technical bid

(4) Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of Conditions of Contract embodied in Form POF 1280, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place _____
Date _____

Signature of the Tenderer _____
Name _____
Postion _____
Address _____
Income Tax G.I.R. No _____