

# Government of Pakistan PAKISTAN ORDNANCE FACTORIES TENDER ENOUTRY

Го	M/s	TE	NDER ENQUI	ERY
Dear	Sirs,			
		rence: TENDER ENQUIRY NO. <u>004</u> You are requested to submit Tender. Please note the foll	quotations for	the item(s) noted in the Schedule to
1. su	BMISS	ION OF TENDER		
1.1	Tende Hall, <u>www.e</u> minut	ers will be opened at 12:00 POf Wah Cantt. Quotebidding.pof.gov.pk as well a tes of opening time. The tenders the opening of the tender	ation must s in hard form nder received l if you so desin	J-25 at Bid Centre adjacent to Rabita be submitted electronically on (duly sealed in envelope) before 30 ate will not be entertained. You may be If a representative is deputed, he authority from you.
		Tender Enquiry No:	0049/LP/CMC/55	/P-D
		Tender to be opened on: Address as follows:-	10-NOV-25	
		(www.ebidding.pof.gov.pk) BID	CENTER	
		ADJACENT TO RABITA HALL		
		POFs, WAH CANTT.		
2. <u>G</u> E	NERAL	INSTRUCTIONS REGARDING PREPAR	ATION OF QUOTAT	IONS
2.1	the <b>enve</b> & co	schedule to this Tender Englope method will be utilized	quiry. As per for "Open comp will be carried	umn 5 and delivery date in column 7 of PPRA Rule 36(b), Single Stage two petitive bidding." Moreover, technical out strictly as per PPRA rules and most advantageous bidder(s).

2.2 For Plant and Machinery, you are required to quote in two parts:-Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc. -2- **POF 1262-A** 

Part II "Commercial Offer": It should indicate the commercial terms e.g.price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-
  - F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at WAH CANTT
In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting refrences to Registration No. in cases of Sales Tax and relevent authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt:, that he has cleared all Proffessional Tax payable by him" offers recieved without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

#### 3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

-3- POF 1262-A

#### 4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: Director-Admin-POFs, Wah Cantt. The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

#### 4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

#### 5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

## GM-Sourcing Indirect Materials, POFs WAH CANTT.

- 5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:
  - a. Registered/indexed firms including foreign firms 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
  - b. Registered/un-indexed firms including foreign firms 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
  - c. Unregistered Firms including foreign firms 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
  - d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
  - e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
  - f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
  - g. Quotation accompanied with less bid money will be accepted on provisional basis for  $10 \times days$  after opening of bids. However the firms are bound to provide/furnish the balance bid money within  $10 \times days$  after opening of bid otherwise such quotations will be ignored or rejected
  - h. Offers received without Bid Security will not be entertained.
  - i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

#### 6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

#### 6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

POF 1262

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

-4-

#### 6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumantances of the case.Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

#### 6.5 **PAYMENT**

Payment will be made by the CMA(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

## 7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc.if any, enclosed herewith - even if you are unable to quote.

<u>WARNING</u> In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to removed from the approved list.

Yours faithfully

AYESHA BANO MANAGER PURCHASE - II

for PAKISTAN ORDNANCE FACTORIES

# SCHEDULE TO TENDER NO. 0049/LP/CMC/55/P-D 16-OCT-25

# (1) FOR MATERIALS

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
		1			-	
1	TAPE COTTON WHITE FINE QUALITY ( LENGTH OF ROLL = 50 MTR ) 25 MM WIDE BSS: 633/1970	METER	2175			
2	BOXES ADOPTER & COVER (STEEL) 4"X4"X2" - (100X100X50 MM) BSS-4568/PT-II-1970 (CLASS-2)	NO	6			
3	ADOPTABLE BOXES 6" X 6"X 2" - 150 X 50 X 50 MM, BSS-31/1940 (1979) CLASS-B	NO	21			
4	(1979) CONDUIT JUNCTION BOX 3/4" X 2 WAY BSS- 31/1940 (1979)-CLASS-B	NO	20			
5	HIGH PRESSURE MERCURY VAPOUR DISCHARGE LAMP PEARL/OVAL SHAPE, E-40, (GES), CAP 220/250 VOLT, 250 WATTS, (PHILIPS, PAK OR EQUIVALENT) BSS-3677/1982	NO	25			
6	LAMP ENERGY SAVER DAY LIGHT SCREW TYPE 80/85 WATTS (220-240 VOLTS)	NO	67			
	MAKE PHILIPS, OSRAM Model Number: 85W/80W base size: E27 Or Equivalent. W/G					
7	MALE BUSH BRASS HEXAGONAL EXTRENALLY 25 MM (1") BSS-4568/PT-II-1970	NO	50			
8	W/G BUSH BRASS HEXAGONAL EXTERNALLY SCREWED 3/4" (20 MM) BSS-4568/PT-II-1970, STANDARD SHEET NO.8	NO	40			
9	DRY CELL FOR TORCH, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS)  1.5 VOLTS SIZE "D" ( R-20 ) LARGE OR EQUIVALENT BSS-397-PT-1 & II/1989	NO	940			
10	W/G  DRY CELL SMALL, (TRADE= NATIONAL, TOSHIBA)  SONY, SANYO, MAXELL POWER PLUS OR PHILIPS)  1.5 VOLTS SIZE "AA" ( R-6 ) OR EQUIVALENT  BSS-397-PT-1 & II/1989  W/G	NO	311			
11	DRY CELL MEDIUM, (TRADE= NATIONAL, TOSHIBA SONY, SANYO, MAXELL POWER PLUS OR PHILIPS)  1.5 VOLTS SIZE "C" ( R-14 ) OR EQUIVALENT BSS-397-PT-1 & II/1989  W/G	NO	149			
12	ALKALINE MANGANESE DURA CELL ULTRA DRY BAATTERIES, 9 VOLTS, DIMENSION 48.5 X 26.5 X 17.5 MM CAN STYLE PP3	NO	9			
	FARNELL					

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
13	BATTERY CELL (BUTTON TYPE) FOR DIGITAL VERNIER CALLIPER 1.5 VOLT, MAX, DIIMENSIONS L=5.4MM, DIA: 11.6MM, WT = 2gm. (APPROX) SPECIALIZED ALKALINE BATTERIES / CELL LR44, CAPACITY 100mAh	NO	8			
14	TECH/DETAIL  CONDENSER / CAPACITOR FOR CEILING FAN ( BRAND		0000	<u> </u>		
14	: FUJI OR EQUIVALENT ) 2.2 MFD, 220/250 VOLT, 50 CYCLE/SECOND BSS-4017/1979	NO	2232			
15	W/G   CONDENSER POWER FACTOR, CAPACITY 7.5 MFD,	NO	20	<u> </u>		
	SUITABLE FOR USE WITH 5'X80 WATT FLOURESCENT TUBE AT 200/250 VOLT BSS-2818/PT-II LATEST	NO	39			
16	CONDENSER / CAPACITOR FOR BRACKET FAN 4.5 MFD, 220/230 VOLT, 50 CYCLE/SECOND BSS-4017/1979	NO	582			
47	W/G			1		
17	CONDUIT PIPE FLEXIBLE (STEEL) 20MM (3/4") DIA, TYPE-A BSS-731/PT-I/1952 (1980)	METER	195			
18	CONDUIT PIPE FLEXIBLE (STEEL) 25MM (1") DIA TYPE-A BSS-731/PT-I/1952	METER	10			
	W/G					
19	CONDUIT PIPE SOLID DRAWN HEAVY GUAGE SCREWED E.T 3/4" (20 MM) - 16 SWG BSS-31/1940 (1979) W/G	METER	106			
20	CONDUIT PIPE WELDED BLACK ENAMELLED DIA 3/4" (20MM) 0.064 INCH BSS-31/1940/ 1979CLASS- B	METER	558			
	with one coupler					
21	CONDUIT PIPE WELDED BLACK ENAMELLED DIA 1" - (25MM) 0.064 INCH BSS-31/1940 (1979) / CLASS-B	METER	262			
	W/G, with one coupler			<u> </u>		
22	CONNECTOR PORCELAIN 5 AMP, 2 WAY CONFORMING TO GEC FIG. NO.C-7041	NO	20			
23	W/G   CONNECTOR PORCELAIN 5 AMP, 3 WAY CONFIRMING	NO	72	<u> </u>		
	TO GEC FIG. NO.C-7042	INO	1 4			
24	CONNECTOR PORCELAIN 15 AMP, 2 WAY CONFIRMING TO GEC FIG. NO. C-7041	NO	51			
25	CONNECTOR PORCELAIN 15 AMP, 3 WAY CONFIRMING TO GEC FIG. NO. C-7042	NO	15			
26	ELBOW INSPECTION CONDUIT (STEEL) BLACK ENAMELLED 3/4" (20 MM) BSS-31/1940 CLASS- B (1979)	NO	130			
	W/G					

# SCHEDULE TO TENDER NO. 0049/LP/CMC/55/P-D 16-OCT-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
27	ELBOW INSPECTION CONDUIT (STEEL) 1" (25 MM)	NO	132	<u> </u>		
	BSS-31/1940 (1979) CLASS-B	110	132			
	W/G					
28	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR	NO	128			
	EQUIVALENT, FIXING CENTRE - A-2 6 AMP,500-					
	660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-5/1988 (W/G CERTIFICATE)					
29	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR	NO	379	<u> </u> 		
	EQUIVALENT. FIXING CENTRE - A-2 16 AMP,220-	110	377			
	660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 &					
20	88/PT-4-5/1988 (W/G CERTIFICATE)  FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR			<u> </u>		
30	EQUIVALENT. FIXING CENTRE - A-2 20 AMP,500-	NO	81			
	660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 &					
	88/PT-4-5/1988 (W/G CERTIFICATE)					
31	FUZE HRC CARTRIDGE EE/GEC TYPE TIA OR	NO	596			
	EQUIVALENT. FIXING CENTRE - A-2 32 AMP, 500- 660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 &					
	88/PT-4-5/1988 (W/G CERTIFICATE)					
32	FUZE HRC CARTRIDGE EE/GEC TYPE TIS OR	NO	474			
	EQUIVALENT. FIXING CENTRE - A-3 63 AMP, 220-					
	660 VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 &					
33	88/PT-4-5/1988 (W/G CERTIFICATE)  FUZE HRC CARTRIDGE GEC TYPE TCP OR EQUIVALENT	NO	421	<u> </u> 		
	FIXING CENTRE A-4 100 AMP,500- 660 VOLT A.C.	NO	421			
	BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-					
	5/1988 (W/G CERTIFICATE)					
34	FUZE HRC CARTRIDGE GEC TYPE TF OR EQUIVALENT FIXING CENTRE B-2 160 AMP, 220-660 VOLTS BSS-	NO	315			
	88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-					
	5/1988 (W/G CERTIFICATE)					
35	FUZE HRC CARTRIDGE GEC TYPE TF OR EQUIVALENT	NO	238			
	FIXING CENTRE B-2 200 AMP ,220- 660 VOLTS BSS-88/PT-I/1988, 88 SEC 2.2/1988 & 88/PT-4-					
	5/1988 (W/G CERTIFICATE)					
36	FUZE HRC CARTRIDGE (GEC TYPE TKF OR	NO	48			
	EQUIVALENT, FIXING CENTRE B-3 315 AMP-500-					
	660 VOLTS BSS-88/PT-I/1988, 88 SEC 2.2/1988 &					
37	88/PT-4-5/1988 (W/G CERTIFICATE)  FUZE HRC CARTRIDGE (GEC TYPE TTM OR	NO	59	<u> </u> 		
37	EQUVALENT, FIXING CENTRE C-2,500 AMP, 500-660	NO	59			
	VOLT BSS-88/PT-I/1988, 88 SEC 2.2/1988 &					
	88/PT-4-5/1988 (W/G CERTIFICATE) (1979)					
38	CLASS-B  LAMP HOLDER BAKELITE BATTEN TYPE ( B.C.), B-	NO I	1111	<u> </u> 		
30	22 (BRAND: BUSH, HERO, ITTEFAQ ) OR	NO	1411			
	EQUIVALENT BSS: 52/1963 & BSS: 5042/1987					
	W/G					
39	PORCELAIN LAMP HOLDER BATTEN TYPE B.C, B-22	NO	223			
	BSS- 52/1963					

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
40	PORECLAIN E.S. CAP LAMP HOLDER, E-27 SUITABLE	NO	288			
	FOR 150/200 WATTS LAMP BSS- 98/1962		200			
	BS. 5042 PT-II					
41	LAMP HOLDER PORECLAIN, E.S. CAP, E-40 ,	NO	17			
	SUITABLE FOR 250 WATT M.V. LAMP. BSS-5042/1987					
	BSS-5042/1987					
42	PLUG TOP BAKELITE 2- PIN 5-10 AMP, 250 VOLTS	NO	345			
	BSS- 196/1961 (BRAND, BUSH, ITTEFAQ, HERO)		0.0			
43	OR EQUIVALENT PLUG TOP BAKELITE 3- PIN 5-10 AMP, 250 VOLTS	NO	F/4	<u> </u> 		
43	BSS- 546/1950 (BRAND, BUSH, ITTEFAQ, HERO)	NO	561			
	OR EQUIVALENT					
44	PLUG TOP BAKELITE , 3- PIN, 15 - 20 AMP, .250	NO	934			
	VOLTS (BRAND: BUSH, HERO, ITTEFAQ ) OR EQUIVALENT BSS-546/1950					
45	INDUSTRIAL LAMINTAED RODS (TUFNOL ROD) BASED	KG	20			
	ON THERMOSETTIG RESINS DIA : 4" (100 MM)					
46	,LENGTH=1 METER BSS- 6128/1981-PT 1 & 2, FIBRE SHEET VULCANIZED 1220X1830X0.8MM (	1/0	10	<u> </u> 		
40	1/32") THICK BSS-216/1961 GD-A, BSS-6091/PT-	KG	10			
	1/1981, 6091/PT-11/1987					
	W/G					
47	FIBRE SHEET VULCANIZED 1220 X 1830 X 1.58MM (1/16") THICK BSS-216/1961 GD-A, BSS-6091/PT-	KG	5			
	1/1981, 6091/PT-11/1987					
	W/G					
48	FIBRE SHEET VULCANIZED 1220 X 1830 X 3MM	KG	5			
	(1/8") THICK BSS-216/1961 GD-A, BSS-6091/PT-					
	1/1981, 6091/PT-11/1987					
49	W/G SHEET LEATHEROID 0.005" THICKX36" WIDE	KG	189	<u> </u> 		
7/	(0.127MM THICKX915MM WIDE) BSS-2768/1956,	NG	109			
	BSS-6091/PT-I (1981) & PT-II (1987)					
	W/G					
50	SHEET LEATHEROID 0.200MM THICK X 915MM WIDE BSS-2768/1956,BSS-6091/PT-I(1981)& PT-	KG	102			
	II(1987)					
	W/G					
51	SHEET FILM LEATHEROID 0.010" (0.25MM) THICK	KG	51			
	X 36" WIDE BSS-2768/1956,BSS-6091/PT-I(1981)&					
	PT-II(1987)					
52	W/G SOCKET 2 PIN BAKELITE,5-10 AMP,250 VOLTS	NO	424	<u> </u> 		
32	(BRAND: BUSH, HERO, ITTEFAQ ) OR EQUIVALENT	NO	636			
	BSS-4573/1970					
	W/G					

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
53	SOCKET 3 PIN BAKELITE, 5-10 AMP, 250 VOLTS. (BRAND: BUSH, HERO, ITTEFAQ ) OR EQUIVALENT BSS-546/1950	NO	201			
54	W/G SOCKET 3 PIN BAKELITE PORCELAIN BASE, 15-20 AMP, 250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ) OR EQUIVALENT BSS-546/1950	NO	331			
55	W/G SLEEVE VARNISHED COTTON (EMPIRE) (RED,YELLOW,GREEN OR BLUE) 1MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	METER	547			
56	W/G  SLEEVE VARNISHED COTTON (EMPIRE)  RED,YELLOW,GREEN OR BLUE INTERNAL DIA:  2MM,TYPE-I CLASS-105 B, BS-2848/1973  W/G	METER	491			
57	SLEEVE VARNISHED COTTON (EMPIRE) ( RED, YELLOW, GREEN OR BLUE ) 3MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973 W/G	METER	1685			
58	SLEEVE VARNISHED COTTON (EMPIRE) ( RED, YELLOW, GREEN OR BLUE ) 4MM INTERNAL DIA, TYPE-I, CLASS-105 B BSS-2848/1973	METER	512			
59	W/G  TUMBLER SWITCH BAKELITE PORCELAIN BASE (S.P.),15 - 20 AMP, 250 VOLTS (BRAND: BUSH, HERO, ITTEFAQ) OR EQUIVALENT BSS-3676/1963	NO	489			
60	W/G  IRON CLAD SWITCH FUZE TP & N (WITH HRC FUZE) WITHOUT INDICATING DEVICE 16 AMP, 500 - 660 VOLT (BRAND FICO, MEFCO, SIEMENS, HERO ) OR EQUIVALENT BSS-5419/1977 & CEE STANDARD SPEC. 1983, W/G CERTIFICATE FOR HRC FUZES BSS-88-PT-I-1988 BSS-88 SEC-2.2, 1988	NO	66			
61	BSS-88-PT-4 & 5, 1988  IRON CLAD SWITCH FUZE ( D.P.), 15/16  AMP, 220 - 660 VOLTS (WITH OUT HRC FUZE) (BRAND: MEFCO, FICO, SIEMENS, HERO ) OR EQUIVALENT BSS-5419/1977 & CEE STANDARD SPEC. 1983  W/G & TEST CERTIFICATE	NO	9			
62	IRON CLAD SWITCH FUZE TP&N (WITH HRC FUZE, WITHOUT INDICATING DEVICE) 500 - 660 VOLT, 30 AMP (BRAND FICO, MEFCO, SIEMEN, HERO) OR EQUIVALENT BSS-5419/1977 & CEE STANDARD SPEC. 1983, W/G CERTIFICATE FOR HRC FUZES	NO	82			

(1)	(2)	(3)	(4)	(5)	(6)	(7)
(1)	(2)	(3)	(4)	(3)		
Item	Description with Specs. etc.	Unit	Qty	Quoted	Price Per Unit	Delivery
No.				Value	FOR or free delivery	Date
					In Figures In Words	
63	IRON CLAD SWITCH FUZE TP&N (WITH HRC	NO	250			
	FUZE, WITHOUT INDICATING DEVICE) 500 - 660					
	VOLT, 63 AMP (BRAND: FICO, MEFCO, SIEMEN )					
	OR EQUIVALENT BSS-5419/1977 BSS:88-PT-1-1988 BSS: 88-SEC.2.2-1988, W/G CERTIFICATE FOR HRC					
	FUZES					
64	IRON CLAD SWITCH FUZE TP&N WITH HRC FUZE, 500	NO	111			
	- 660 VOLTS, 100 AMPS (BRAND: FICO, MEFCO,					
	SIEMEN ) OR EQUIVALENT BSS-5419/1977 & CEE					
	STANDARD SPEC. 1983, W/G CERTIFICATE FOR HRC FUZES					
65	IRON CLAD SWITCH FUZE TP&N (WITH HRC FUZE)	NO I	147			
	660 VOLT, 200 AMP BSS-5419/1977 & CEE STD.	INO	147			
	SPEC. 1983					
	W/G					
66	IRON CLAD SWITCH FUZE TP&N WITH HRC FUZE,	NO	98			
	500 - 660 VOLT, 315 AMP (BRAND: FICO, MEFCO,					
	SIEMEN ) OR EQUIVALENT BSS-5419/1977&CEE STD SPEC.1989 BSS-88/PT-1/1988BSS-					
	88/SEC2.2/1988 W/G CERTIFICATE FOR HRC					
	FUZEZS)					
67	IRON CLAD FUZE SWITCH TP&N (WITH HRC FUZE),	NO	7			
	500 - 660 VOLT, 500 AMP BRAND FICO,MEFCO,SIEMENS ) OR EQUIVALENT BSS-					
	5419/1977 & CEE STANDARD SPEC. 1983, W/G					
	CERTIFICATE FOR HRC FUZES					
68	PVC INSULATION TAPE ADHESIVE FOR ELECTRICAL	ROLL	2316			
	INSULATING PURPOSE 3/4" (19MM) WIDE X 0.13MM					
	THICK(ONE ROLL=10 YARDS,10 YARD=9.144 METER) BSS-3924/1978					
69	TAPE COTTON GLASS IMPREGNATED (GLASS FIBRE	METER	2500			
0,	WOVEN TAPE) 1" WIDE, 0.005" THICK (25MM WIDE	IVILILIX	2300			
	X 0.127MM THICK) BSS-3779-1985					
	W/G					
70	TAPE COTTON GLASS INSULATION (GLASS FIBRE	METER	1901			
	WOVEN TAPE) 1" WIDE, 0.011" THICK (25MM WIDE X 0.3MM THICK) BSS-3779-1985					
71	TAPE COTTON BASE WITH OLEORESINOUS COMPOUND		30	<u> </u>		
' '	IMPREGNATED (G-514) (EACH ROLL CONSIST OF 18	1111	30			
	MTR) 20MM WIDE X 18 MTR LONG X 0.5MM THICK, 3					
	ROLL/TIN BSS-5689/1979, PT-I					
	W/G					
72	TAPE COTTON BASE WITH BITUMEN IMPREGNATED (G-	TIN	35			
	516) (EACH ROLL CONSIST OF 18 MTR) 20MM WIDE X 18 MTR ( 3 ROLLS/TIN) BSS-5689/1979, PT-I					
	W/G					
73	TAPE COTTON IMPREGNATED WITH BITUMEN COMPOUND	TIN	5			
,3	2 ROLL / TIN (EACH ROLL CONSIST OF 20 MTR) 1"	IIIN	<b>၁</b>			
	WIDE X 20 MTR, 0.5MM THICK BSS-5689/1979, PT-					
	I					

## SCHEDULE TO TENDER NO. 0049/LP/CMC/55/P-D 16-OCT-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
74	TEE CONDUIT 3/4" (20 MM) BSS-31/1940(1979) CLASS- B	NO	34			
	W/G					
75	CONDUIT UNION 3/4" (20MM) BSS-31/1940   (1979), CLASS-B	NO	55			
76	PVC DUCT 40 MM X 40 MM, LENGTH 3 METER (10   FEET)	METER	390			
77	EMPIRE SLEEVE ( PAK / CHINA ) COLOUR RED, YELLOW, GREEN OR BLUE TYPE-1, CLASS-105 B DIA : 6MM BSS 2848/1973	METER	161			
78	EMPIRE SLEEVE ( PAK / CHINA ) RED, YELLOW, GREEN OR BLUE 8MM DIA, TYPE-1 CLASS105 B, BS-2848/1973	METER	102			
79	POWER EXTENTION BOARD 15 AMP , LENGTH OF CABLE 3 MTR 3 PIN SOCKET , 06 POINTS	NO	17			

Total Rs =	
+ GST =	
Total value Rs =	

# (2) For Plant & Machinery: Specification:-

## (3) Special Conditions

11

- 01. Undertaking of TE duly signed / stamped and Tender Fee both attached with Technical offer must reach in hard form in Bid Center POF Wah Cantt., however soft copy of same should be attached with online Technical offer. Bid Money attached with Commercial offer must reach in hard form, however soft copy of same should be attached with online Commercial offer.
- 02. The supplier must indicate the shelf life of the quoted store in their technical offer.
- 03. Stamp duty @0.25% of contracted value in shape of E-Stamp must be provided alongwith contractor's bill.
- 04. The insolvency & breach of contract, POF shall have the right to purchase the stores / services elsewhere at the Risk & Cost.
  - 05 Inspection Authority: Dir-QA Concerned Or His Authorised Rep
- Only one rate should be quoted against description of store on the Tender Schedule and Grand total of offer must be mentioned in your quotation.
- 07 Undertaking of T.E schedule may be returned duly signed & stamped along with the quotation.
- 08 Material Safety Data Sheet (MSDS) may be provided along with each consignment.
- 09 STATUS OF FIRM WITH POF (REGISTRATION / UN REGISTERED) SHOULD BE MENTIONED IN OFFER. REGISTERED FIRMS ARE REQUIRED TO PROVIDE COPY OF VALID REGISTRATION LETTER WITH POF
- 10 NTN, PTC, SALE TAX REGISTERATION CERTIFICATE, ATL & UNDERTAKING MUST BE ATTACHED WITH THE QUOTATION.

Only registered suppliers (with sales tax & income tax deptt.) who are on active tax

- payers list (ATL) of FBR are eligible to supply goods/services to government deptt.
- 12 In case of failure to supply the store within DP, LD will be imposed as per procedure.
- 13 THE STORE WHERE WARRANTY / GUARANTEE IS APPLICABLE, PERFORMANCE BOND / CDR WILL BE

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	

- WITHHELD TILL COMPLETION OF WARRANTY / GUARANTEE PERIOD i.e. 12 MONTHS WHICH WILL EFFECTIVE AFTER THE RECEIPT/ACCEPTANCE OF STORES BY THE CONSIGNEE.
- 14 FREE DELIVERY OF ALL CONTRACTED ITEMS AT CENTRAL STORES, POF, WAH CANTT.
- 15 ANY QUANTITY OF STORE, IF FOUND DEFECTIVE WILL ESSENTIALLY BE REPLACED BY THE SUPPLIERS FREE OF COST UNDER HIS OWN ARRANGEMENT
- 16 IF THE SUPPLIER HAS ALREADY SUPPLIED THE SAME NATURE OF STORE THEN MENTION THE CONTRACT NO(s). IN YOUR QUOTATION.
- 17 If the excess quantity of store is delivered which exceeds the allowed tolerance of + 5 % of the contracted quantity, the same may be considered free of cost (non-returnable)
- 18 Date and stamp of the postal order must be visible.
- 19 Supplier can download tender documents free of cost from the sub portal (POF E-Bidding). The tender documents containing detailed terms and condition are avaliable for free download. Bidders have to quote their prices online alongwith technical & commercial bids before 11:30 upto due date on the portal (e-bidding.pof.gov.pk)
- 20 Sales Tax must be shown separately, otherwise, quoted rate will be considered as inclusive of Sales Tax And the same will be deducted from Payment Bills.
- 21 In case of registration with POFs, registration certificate may be enclosed.
- 22 The firm is responsible to supply the store according to the Description and Specification as mentioned in the Tender Enquiry.
- 23 All the interested firms are required to submit the doucmentary evidence of their professional, technical, financial, legal & managerial competency of bid evalutaion.
- 24 Firms registered with Securities & Exchange Commission of Pakistan (SECP) will be preferred. However, such firms are required to provide/attach the registration certificate/evidence their of with the quotation for evaluation.
- 25 Tender will be opened online in the presence of the bidders or his / their representative who may choose to be present.
- 26 Store must be brand new, from current year production and from OEM.
- 27 In case procurement exceeds Rs.10.00 Million, Integrity Pact will be part of contract.
- 28 Original Bid Money in hard form must be reached at Bid Center before closing time.
- 29 The store must be protected adequately and appropriately against damages environmental effects, water or other substances during journey/transportation or withstand the rough handling involved in transit & provide preservation of material while held in storage by the consignee.
- 30 Quotation not accompanied with Bid Money & Tender Fee will be ignored.
- 31 Reputable firms having relevant experience and good performance are eligible to participate in the bid /Tender.
- 32 PTC issued by Relevant Province must be provided.

## SCHEDULE TO TENDER NO. 0049/LP/CMC/55/P-D

#### 16-OCT-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	

## Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place	Signature of the Tendere	r
Date	Name	
	Position	
	Address	
	Income Tax G.I.R. No	
	Official Stamp	