

Government of Pakistan PAKISTAN ORDNANCE FACTORIES TENDER ENOUIRY

Го	M/s	TENDER ENQUIRY
Dear	Sirs,	
	Refe	rence : TENDER ENQUIRY NO. 0045/LP/CMC/55/P-E DATED 09-SEP-25
	the	You are requested to submit quotations for the item(s) noted in the Schedule to Tender. Please note the following instructions for filling the tender:-
1. s	UBMISSI	ON OF TENDER
1.1	Tende Hall, <u>www.e</u> minut	rs will be opened at 12:00 hours on 13-NOV-25 at Bid Centre adjacent to Rabita POf Wah Cantt. Quotation must be submitted electronically on bidding.pof.gov.pk as well as in hard form (duly sealed in envelope) before 30 es of opening time. The tender received late will not be entertained. You may ses the opening of the tender if you so desire. If a representative is deputed, he
		(www.ebidding.pof.gov.pk) BID CENTER
		ADJACENT TO RABITA HALL
		POFs, WAH CANTT.
2. <u>G</u>	ENERAL	INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS
2.	the enve : & cor	Materials, the prices should be filled in column 5 and delivery date in column 7 of schedule to this Tender Enquiry. As per PPRA Rule 36(b), Single Stage two lope method will be utilized for "Open competitive bidding." Moreover, technical mmercial evaluation of Bids will be carried out strictly as per PPRA rules and ract(s) will be awarded to the most advantageous bidder(s).

2.2 For Plant and Machinery, you are required to quote in two parts:-Part I "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc. -2- **POF 1262-A**

Part II "Commercial Offer": It should indicate the commercial terms e.g.price, terms of payment, mode of payment, mode of supply.

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of commercial tenders, extendable if so desired.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-
 - F.O.R. station of dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser.

and/or

Free delivery at POF's stores at WAH CANTT
In this case Octroi duty, will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting refrences to Registration No. in cases of Sales Tax and relevent authority in the case of others. Offers without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation deptt:, that he has cleared all Proffessional Tax payable by him" offers recieved without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the material/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

3. INSPECTION

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

-3- POF 1262-A

4. TENDER FEE

The tender must be accompanied by a copy of non-refundable fee by means of a crossed postal order/pay order for Rs. 500/- in favour of: Director-Admin-POFs, Wah Cantt. The tender fee instrument in original must be provided on day/date of tender opening in the Bid Center.

4.1 TENDER SAMPLE

Where required, offer must accompany tender sample., strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

5. BID Security

5.1 A copy of Bid Security should accompany the tender in shape of deposit at call receipt/Pay Order/Banker Cheque from scheduled bank drawn in favour of :-

GM-Sourcing Indirect Materials, POFs WAH CANTT.

- 5.2 Bid security instrument in original must be provided on the day/date of tender opening in the Bid Center as under:
 - a. Registered/indexed firms including foreign firms 2% of quoted value subject to the maximum ceiling of Rs. 0.5 Mn.
 - b. Registered/un-indexed firms including foreign firms 3% of quoted value subject to the maximum ceiling of Rs. 0.75 Mn.
 - c. Unregistered Firms including foreign firms 5% of quoted value subject to the maximum ceiling of Rs. 1.00 Mn.
 - d. Govt organization/production units/state owned enterprises/welfare projects of Svcs HQ - Rs 0.50 M. can be waived off on request by DG(C)
 - e. Bid money will be returned to unsuccessful (less first three lowest quotee firms) bidders on opening of commercial offers
 - f. Bid money will be returned to successful bidders on submission of performance bond/unconditional B.G.
 - g. Quotation accompanied with less bid money will be accepted on provisional basis for $10 \times days$ after opening of bids. However the firms are bound to provide/furnish the balance bid money within $10 \times days$ after opening of bid otherwise such quotations will be ignored or rejected
 - h. Offers received without Bid Security will not be entertained.
 - i. Bid money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.

6. ACCEPTANCE OF OFFERS

6.1 POF may reject all bids or proposals at any time prior to the acceptance of bid(s) or proposal, but is not required to justify grounds for its rejection. POF shall incur no liability towards supplier or contractor who have submitted bids or proposals.

6.2 PERFORMANCE BOND

- (a) The successful bidders shall provide performance bond which shall not exceed 10% of contract value, in the form of Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee on a prescribed format. The performance Bond will be in favour of C.M.A.(POF) Wah Cantt. It will be returned on satisfactory completion of contract.
- (b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.

POF 1262

6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.

-4-

6.4 FAILURE TO SUPPLY THE STORES

All deliveries must be completed by the specified date. In case of failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumantances of the case.Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase from elsewhere, the unsupplied stores at the risk and cost of the supplier.

6.5 **PAYMENT**

Payment will be made by the CMA(POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.

(a) Payment of duties/Taxes including professional tax (where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt.

7. SECURITY OF INFORMATION

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorised in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, along with the specifications, drawings etc.if any, enclosed herewith - even if you are unable to quote.

<u>WARNING</u> In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would liable to removed from the approved list.

Yours faithfully

AYESHA BANO MANAGER PURCHASE - II

for PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0045/LP/CMC/55/P-E 09-SEP-25

(1) FOR MATERIALS

\-	TOR PATERIALD					
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
				'		
1	GRINDING WHEEL FOR CUTTING OFF WITHOUT	NO.		I		
'	REINFORCEMENT 150MM X 1.6MM X 31.75MM (A-60-	NO	28			
	L-B) P-B) BSS-4481/PT-2/1983, TABLE-3					
2	GRINDING WHEEL FOR CUTTING OFF WITHOUT	NO	36	İ		
	REINFORCEMENT 150 X1.6 X32 MM 70TB AS PER					
	DESCRIPTION OF STORE. BS-4481 PT 2 1983					
3	TABLE-3, TYPE-I GRINDING WHEEL FOR CUTTING OFF WITHOUT	NO	22	<u> </u>		
3	REINFORCEMENT 4"X1/32"X1-1/4" A-70-TB BSS-	NO	23			
	4481-PT-2/1983 TABLE-10 (SIZE AS PER USER					
	DEMAND)					
4	GRINDING WHEEL FOR CUTTING OFF WITHOUT	NO	45			
	REINFORCEMENT 150MM X 2.5MM X 31.75MM (A-70- TB OR JB) BS-4481 PT 2 1983 TABLE-3 TYPE-I					
5	GRINDING WHEEL FOR CUTTING OFF WITHOUT	NO	17	1		
	REINFORCEMENT 150MM X 2.5MM X 31.75MM (A-80-	NO	17			
	OB) BSS-4481/PT-II/1983, TABLE-3					
6	GRINDING WHEEL PLAIN FOR EXTERNAL	NO	4			
	CYLINDERICAL GRINDING 250MM X 25MM X 127MM					
7	(WA-46-JV) BSS-4481/PT-II/1983, TABLE-4 GRINDING WHEEL PLAIN FOR EXTERNAL	NO.	4.4	1		
'	CYLINDERICAL GRINDING 300MM X 40MM X 127MM	NO	16			
	(WA-46-JV) BSS-4481/PT-2/1983 TABLE-4					
8	GRINDING WHEEL STRAIGHT CUP 125MM X 40MM X	NO	37	ĺ		
	32MM (10 X 10 MM) WA-60-KV BS- 4481/ PT-2					
	1983 SIZE AS PER DESCRIPTION OF STORE			1		
9	GRINDING WHEEL PLAIN FOR SURFACE GRINDING 300MM X 40MM X 127MM (WA-60-JV) BSS-4481/PT-	NO	12			
	2/1983, TABLE-5					
10	GRINDING WHEEL PLAIN 300 X 25 X 127 MM A-	NO	10			
	60-KV BS-4481 PT-2 1983 TABLE 4 (A)					
11	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	29			
	180MM X 20MM X 31.75MM (WA-60-KV) BSS- 4481/PT-II/1983, TABLE-5 (A)					
12	GRINDING WHEEL PLAIN (300 X 25 X 127) MM	NO	10	<u> </u>		
12	(A-120-MV) BSS-4481/PT-II/1983, TABLE-5 (A)	NO	10			
13	GRINDING WHEEL PLAIN (300 X 25 X 127) MM	NO	5	ĺ		
	(A-46-KV) BSS-4481/PT-II/1983, TABLE-5 (A)					
14	GRINDING WHEEL PLAIN FOR SURFACE GRINDING 300X40X127 mm A-46-KV BS-4481 PT-2 1983.	NO	29			
	TABLE-5					
15	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	12	1		
	200MM X 20MM X 31.75MM (WA-46-KV) BSS-					
	4481/PT-2/1983, TABLE-5			<u> </u>		
16	GRINDING WHEEL PLAIN 200 X 20 X 16MM A-60-PV BS-4481 PT-2 1983 SIZE AS PER DESCRIPTION OF	NO	14			
	STORE					
17	GRINDING WHEEL PLAIN 250 MM X 25 MM X 20 MM	NO	3			
''	A-60PV BS-4481-PT-II / 1983 TABLE 1 (A) SIZE	140	5			
	AS PER DESCRIPTION OF STORE					

SCHEDULE TO TENDER NO. 0045/LP/CMC/55/P-E 09-SEP-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	
					<u> </u>	
18	GRINDING WHEEL DISH 150MM X 13MM X 32MM	NO	28			
	(38A-60-K5V) BSS-4481/PT-II/1983, TABLE-8 (D)	NO	20			
19	GRINDING WHEEL PLAIN FOR SAW SHARPENING 250 X 20 X 32 MM (WA 54-MV) BSS-4481/PT-2/1983,	NO	71			
	TABLE-7					
20	PLAIN WHEEL FOR SURFACE GRINDING 200MM X	NO	36			
	20MM X 31.75MM (A-80-KV) BSS-4481/PT-					
0.1	2/1983, TABLE- 5 (A) GRINDING WHEEL PLAIN FOR SURFACE GRINDING			1		
21	250MM X 13MM X 76.2MM (WA-80-KV) BSS-4481/PT-	NO	34			
	2/1983, TABLE-5					
22	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	28			
	180MM X 13MM X 31.75MM (WA-46-JV) BSS-					
	4481/PT-2/1983,TABLE-5					
23	GRINDING WHEEL FOR SURFACE GRINDING 180MM X 20MM X 31.75MM (WA-46-JV) BSS-4481/PT-2/1983,	NO	64			
	TABLE-5					
24	GRINDING WHEEL PLAIN 250MM X 20MM X 76.2MM	NO	36	<u> </u>		
	(WA-46-JV) BSS-4481/PT-II/1983, TABLE-5 (A)	NO	30			
25	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	44			
	250MM X 25MM X 76.2MM (WA-46-JV) BSS-4481/PT-					
2/	2/1983, TABLE-5 (A) PLAIN GRINDING WHEEL FOR SURFACE GRINDING	-		<u> </u>		
26	250 X 25 X 76.2 MM, WA-46-KV BSS-4481/PT-	NO	23			
	2/1983,TABLE-5					
27	GRINDING WHEEL PLAIN 150MM X 13MM X 31.75MM	NO	1			
	(WA-60-LV) BSS-4481/PT-II/1983, TABLE-5 (A)					
28	PLAIN GRINDING WHEEL FOR SURFACE GRINDING	NO	58			
	250MM X 25MM X 76.2MM (WA-60-LV) BSS-4481/PT- II/1983, TABLE-5 (A)					
29	PLAIN GRINDING WHEEL FOR SURFACE GRINDING	NO	59	<u> </u>		
-	180MM X 13MM X 31.75MM (WA-60-JV) BSS-	NO	39			
	4481/PT-2/1983,TABLE-5					
30	PLAIN GRINDING WHEEL FOR SURFACE GRINDING	NO	45			
	180MM X 20MM X 31.75MM (WA-60-JV) BSS-					
31	4481/PT-II/1983, TABLE-5 (A) GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	17	<u> </u> 		
31	180MM X 13MM X 31.75MM WA-60-KV BSS-4481/PT-	NO	17			
	II/1983 TABLE- 5(A)					
32	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	10			
	250MM X 13MM X 76.2MM (WA-60-KV) BSS-4481/PT-					
33	2/1983, TABLE-5 GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NC	25	<u> </u> 		
33	(250 X 20 X 76.2) MM (WA-60-KV) BSS-4481/PT-	NO	35			
	2/1983, TABLE-5					
34	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	5		İ	
	250 X 13 X 76.2 MM, WA-100-MV BSS-4481/PT-					
25	2/1983 TABLE-5 GRINDING WHEEL PLAIN 180 X 6 X 31.75 MM BSS-	N.C.		<u> </u> 		
35	4481/PT-II/1983, TABLE-5 (A)	NO	4			
				I.	1	

SCHEDULE TO TENDER NO. 0045/LP/CMC/55/P-E 09-SEP-25

(4)	(0)	(0)		(5)	(6)	(=)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item	Description with Specs. etc.	Unit	Qty	Quoted	Price Per Unit	Delivery
No.				Value	FOR or free delivery	Date
					In Figures In Words	
36	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	20	I	1 1	
30	200 X 20 X 50.8 MM (WA-60-MV) BSS-4481/PT-	NO	30			
	2/1983, TABLE-5					
37	GRINDING WHEEL PLAIN 250MM X 25MM X 76.2MM	NO	22			
	(WA-60-MV) BSS-4481/PT-II/1983, TABLE-5 (A)					
38	PLAIN GRINDING WHEEL FOR SURFACE GRINDING	NO	24			
	180 X 20 X 31.75 MM, WA-54-KV BSS-4481-PT-2, 1983 TABLE-5					
39	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	8	<u> </u>		
	(200 X 20 X 50.8) MM (WA-100-JV) BSS-4481-PT-	NO	O			
	2, 1983 TABLE -5					
40	GRINDING WHEEL PLAIN FOR SURFACE GRINDING	NO	5			
	(200X20X50.8) MM (WA-220-MV) BSS-4481-PT-2, 1983 TABLE -5					
41	GRINDING WHEEL PLAIN 75 X 3 X 10 MM (WA-120-	NO	2	1		
41	KV) A-70-TB BSS-4481/PT-II/1983, TABLE-5 (A),	NO	3			
	TYPE-I SIZE AS PER DESCRIPTION OF STORE					
42	GRINDING WHEEL PLAIN FOR PORTABLE MACHINE	NO	5			
	(150X25X15.88) MM (A-60-MV) BSS-4481/PT-					
	2/1983, TABLE-1 (B), SIZE AS PER DESCRIPTION					
42	OF STORE PLAIN WHEEL FOR SURFACE GRINDING 180MM X			<u> </u> 		
43	13MM X 31.75MM (A-46-J5V) BSS-4481-PT-II,	NO	5			
	1983 TABLE 5(A)					
44	GRINDING WHEEL PLAIN (FOR EXTERNAL	NO	7			
	CYLINDRICAL GRINDING) 356 X 40 X 127 MM WA-		,			
	60-JV BSS-4481-PT-2, 1983 TABLE-4					
45	GRINDING WHEEL TAPER CUP 125 X 40 X 96 X 81	NO	46			
	X 8 X 10 X 32 MM (WA-54-MV) BSS-4481/PT- 2/1983, TABLE-8 (C)					
46	GRINDING WHEEL TAPER CUP 80 X 32 X 57 X 46 X	NO	10			
10	6X 8 X 13 MM WA-46-KV BS-4481-PT-2/ 1983	NO	10			
	TABLE-8 (c)					
47	OIL STONE SQUARE A/OXIDE (100MM X 6MM)	NO	5			
10	COARSE BSS-4481/PT-II/1983, TABLE 19 (A)			<u> </u>		
48	OIL STONE TRIANGULAR FINISH STICK ALUMINIUM OXIDE 13MM X 150MM [MEDIUM] BSS-4481/PT-II,	NO	3			
	1983, TABLE-19 [A]					
49	OIL STONE ROUND (FINISH STICK) A/OXIDE 13MM	NO	5			
	X 150MM (COARSE) BSS-4481/PT-II/1983 TABLE-	110	9			
	19(A)					
50	OIL STONE ROUND (FINISH STICK) ALUMINIUM	NO	2			
	OXIDE 10 MM X 100 MM (MEDIUM) BS-4481, PT- 2/1983, TABLE 19 (A)					
51	OIL STONE ROUND (FINISH STICK) ALUMINIUM	NO	8	<u> </u>		
	OXIDE 6 MM X 100 MM (FINE) BS-4481, PT-	INO	ŏ			
	2/1983,					
52	OIL STONE ROUND (FINISH STICK) ALUMINIUM	NO	5			
	OXIDE 13 MM X 150 MM (FINE) BS-4481, PT-					
EO	2/1983, TABLE-19 (A) OIL STONE TRIANGULAR COARSE 13 X 150 mm	110		<u> </u> 		
53	BS-4481 PT-II 1983 TABLE- 19 (A)	NO	5			
				l .	1	

SCHEDULE TO TENDER NO. 0045/LP/CMC/55/P-E 09-SEP-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item	Description with Specs. etc.	Unit	Qty	Quoted	Price Per Unit	Delivery
No.			,	Value	FOR or free delivery	Date
					In Figures In Words	
					J. J. J.	
F 4	ABRASIVE ALLUMINIUM OXIDE CLOTH METAL WORK	OLIEET	0.75	I		
54	280 MM X 230 MM, GRADE P-80, 'J' WEIGHT BS-	SHEET	375			
	871/1981,SEC-11					
55	ABRASIVE CLOTH ALUMINIUM OXIDE J WEIGHT GRADE	SHEET	262			
	P-150 280 X 230 MM BS-871/1981, SECTION					
Γ/	ABRASIVE CLOTH ALUMINIUM OXIDE METAL WORKING			1		
56	CLOTH IN ROLL FORM 60 MM WIDE, GRADE P-180,	METER	478			
	'J' WEIGHT BSS-871/1981, SEC-11					
57	ABRASIVE ALLUMINIUM OXIDE CLOTH METAL WORK	SHEET	391			
	280MM X 230MM, GRADE P-180, 'J' WEIGHT BSS-					
ГО	871/1981, SEC-11 ABRASIVE ROLL ALUMINIUM OXIDE J WEIGHT GRADE			1		
58	P-150 50 MM WIDE X50 MTR LONG BS-871/1981,	METER	738			
	SEC-11					
59	ABRASIVE ALLUMINIUM OXIDE CLOTH 280 MM X 230	SHEET	305			
	MM, GRADE P-60, 'X' WEIGHT BSS-871/1981, SEC-					
40	11			1		
60	ABRASIVE ALLUMINIUM OXIDE CLOTH METAL WORK 280 MM X 230 MM, GRADE P-100, 'J' WEIGHT BSS-	SHEET	180			
	871/1981, SEC-11					
61	EMERY CLOTH BACKING 280MM X 230MM, GRADE-OO	SHEET	519			
	BSS-871 /1981,SECTION -16 TABLE-I					
62	EMERY CLOTH BACKING 280MM X 230MM, GRADE-O BSS-871/1981, TABLE-I	SHEET	570			
63	EMERY CLOTH BACKING 280MM X 230MM, GRADE-1	SHEET	853	<u> </u>		
03	BSS-871/1981,SEC-16, TABLE-I	SHEET	000			
64	EMERY CLOTH BACKING 280MM X 230MM, GRADE-1-	SHEET	354			
	1/2 BS-871/1981, SECTION-16					
65	EMERY CLOTH BACKING 280MM X 230MM, GRADE-2 BS-871/1981, SECTION-16	SHEET	412			
66	LINSHING BELT ENDLESS FIRST QUALITY BLUE	NO	68	<u> </u>		
	TWILL EMERY CLOTH 36" X 6" (914MM X 152MM),	INO	00			
	GRADE-I BSS-871/1981 TAB-1					
67	EMARY CLOTH BELT GRADE-1 150 MM WIDE X 1320	NO	45			
68	MM CIRCUMFERENCE GRIT 60 BS-871/1981, TABLE-1 LINSHING BELT ENDLESS FIRST QUALITY BLUE	NO I	100	<u> </u> 		
00	TWILL EMERY CLOTH 36" X 6" (914MM X 152MM),	NO	100			
	GRADE- 1-1/2 BSS-871-A/1981 TAB-1					
69	LINSHING BELT ENDLESS FIRST QUALITY BLUE	NO	138			
	TWILL EMERY CLOTH 36" X 6" (914MM X 152MM), GRADE- 3 BSS-871/1981 TAB-1					
70	ABRASIVE SILICON CARBIDE CLOTH GRADE P-240	SHEET	90	<u> </u>		
'	WEIGHT J 280MM X 230MM, BS-871/1981, SEC-13	SITEET	90			
71	GLASS PAPER GRADE - 0 280 X 230 MM BS-	SHEET	250			
	871/1981, SECTION -17					
72	GLASS PAPER GRADE -1 280MM X 230MM, BS- 871/1981, SECTION -17	SHEET	203			
73	WATER PROOF SILICON CARBIDE ABRASIVE PAPER	SHEET	30	<u> </u>		
, ,	WEIGHT 'C' GRADE P-180 280MM X 230MM BS-	SHEET	30			
	871/1981, SECTION -14					

PAKISTAN ORDNANCE FACTORIES

SCHEDULE TO TENDER NO. 0045/LP/CMC/55/P-E 09-SEP-25

fiber .0040"-.0060" (101.6-152.4microns)

(1)	(2)	(3)	(4)	(5)	(6)		(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per U		Delivery Date
					In Figures In	Words	
74	EMERY POWDER FINE GRIT-P220 MICRON SIZE AVG 68, RMS FINISH ALUMINIUM OXIDE 1/2 = 15 RMS	KG	8				
	AS PER TECHNICAL DETAIL						
75	GRINDING WHEEL DIAMOND ABRASIVE (150 X 6 X 31.75)MM X 3MM, (SD 107 R 50 B 76) B&H STOCK #06-8252 1989-91 BS-2064/PT-I/1976 TABLE-I DIMENSION CODE 1AI WHEEL	NO	3				
76	STEEL WOOL GRADE 2/O PA45 60F6 Mean width of fiber .0012"0022" (30.48-55.88microns)	KG	53				
77	STEEL WOOL GRADE 1/0 Mean width of fiber .0016"0024" (40.64-60.96microns)	KG	44				
78	STEEL WOOL GRADE 1 Mean width of fiber .0018"0026" (45.72-66.04microns)	KG	430				
79	STEEL WOOL GRADE 2 PA45 60F6 Mean width of	KG	660				

Total Rs =	
+ GST =	
Total value Rs =	

(2) For Plant & Machinery: Specification: -

(3) Special Conditions

- The firm is responsible to supply the store according to the Description and Specification as mentioned in the Tender Enquiry.
- Shelf Life of quoted store must be endorsed by the firm in their Technical Quotation.
- Stamp duty @0.25% of contracted value in shape of E-Stamp must be provided alongwith contractor's bill.
- Only one rate should be quoted against description of store on the Tender Schedule and 04 Grand total of offer must be mentioned in your quotation.
- Reputable firms having relevant experience and good performance are eligible to 05 participate in the bid /Tender.
- 06 Sales Tax must be shown separately, otherwise, quoted rate will be considered as inclusive of Sales Tax And the same will be deducted from Payment Bills.
- Only Registered Suppliers (with Sales Tax & Income Tax Deptt) who are on Active 07 Taxpayers List (ATL) of FBR are eligible to supply Goods/Services to Govt. Deptts.
- In case of registration with POFs, registration certificate may be enclosed. 80
- 09 In case of failure to supply the store within DP, LD will be imposed as per procedure.
- Sales Tax Registration No. issued by Excise & Taxation Department And NTN must be given 10 in Quotation
- NTN, PTC, SALE TAX REGISTERATION CERTIFICATE, ATL & UNDERTAKING MUST BE ATTACHED WITH 11 THE QUOTATION.
- 12 PTC issued by Relevant Province must be provided.
- Undertaking of T.E schedule may be returned duly signed & stamped along with the 13 quotation.

SCHEDULE TO TENDER NO. 0045/LP/CMC/55/P-E

09-SEP-25

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Item No.	Description with Specs. etc.	Unit	Qty	Quoted Value	Price Per Unit FOR or free delivery	Delivery Date
					In Figures In Words	

- 14 Material Safety Data Sheet (MSDS) may be provided along with each consignment.
- 15 Date of receipt of store in POFs will be considered as date of delivery.
- 16 Tender will be opened online in the presence of the bidders or his / their representative who may choose to be present.
- 17 QUOTATION MUST BE VALID FOR 90 DAYS (EXTENDABLE IF SO DESIRED) WHICH WILL BE EFFECTIVE AFTER THE DATE OF ACCEPTANCE OF TECHNICAL LITERATURE FROM OUR SIDE
- 18 Inspection Authority: Dir-QA Concerned Or His Authorised Rep

Undertaking

Should our offer be accepted, we hereby undertake to supply the stores/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the stores/services elsewhere at our risk and cost.

Place	Signature of the Tenderer	
Date	Name	
	Position	
	Address	
	Income Tax G.I.R. No	
	Official Stamp	